

843 Response to Request for Quotation

Functional Group ID=**RR**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Response to Request for Quotation Transaction Set (843) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide potential buyers with price, delivery schedule, and other terms from potential sellers of goods and services, in response to a request for such information.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BQR	Beginning Segment for Response to Request for Quotation	M	1		
Not Used	030	NTE	Note/Special Instruction	F	100		
	040	CUR	Currency	O	1		
	050	REF	Reference Numbers	O	>1		
Not Used	060	PER	Administrative Communications Contact	O	3		
Not Used	070	TAX	Tax Reference	O	3		
	080	FOB	F.O.B. Related Instructions	O	>1		
Not Used	090	CTP	Pricing Information	O	>1		
	095	PAM	Period Amount	O	10		
Not Used	110	CSH	Header Sale Condition	O	25		
	120	SAC	Service, Promotion, Allowance, or Charge Information	O	25		
	130	ITD	Terms of Sale/Deferred Terms of Sale	O	5		
	140	DIS	Discount Detail	O	20		
	150	DTM	Date/Time Reference	O	10		
	160	LDT	Lead Time	O	12		
Not Used	180	LIN	Item Identification	O	5		n1
Not Used	190	PID	Product/Item Description	O	200		
	200	MEA	Measurements	O	40		
	210	PWK	Paperwork	O	25		
	220	PKG	Marking, Packaging, Loading	O	25		
Not Used	230	TD1	Carrier Details (Quantity and Weight)	O	2		
	240	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
Not Used	250	TD3	Carrier Details (Equipment)	O	12		
	260	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
Not Used	270	MAN	Marks and Numbers	O	10		
Not Used	280	CTB	Restrictions/ Conditions	O	5		
Not Used	285	CPR	Commodity Price Reference	O	2		
LOOP ID - N9						1000	
	290	N9	Reference Number	O	1		
	300	MSG	Message Text	O	1000		
LOOP ID - N1						10000	
	310	N1	Name	O	1		

843 - Response to Request for Quotation

	320	N2	Additional Name Information	O	2
	330	N3	Address Information	O	2
	340	N4	Geographic Location	O	1
Not Used	350	REF	Reference Numbers	O	12
	360	PER	Administrative Communications Contact	O	>1
Not Used	370	FOB	F.O.B. Related Instructions	O	1
Not Used	380	TD1	Carrier Details (Quantity and Weight)	O	2
	390	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12
Not Used	400	TD3	Carrier Details (Equipment)	O	12
	410	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5
	420	PKG	Marking, Packaging, Loading	O	25
Not Used	430	MSG	Message Text	O	>1

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - PO1			100000	
	010	PO1	Baseline Item Data	O	1		
Not Used	020	CUR	Currency	O	1		
	030	PO3	Additional Item Detail	O	25		
	040	CTP	Pricing Information	O	>1		
Not Used	045	PAM	Period Amount	O	10		
	049	MEA	Measurements	O	40		
			LOOP ID - PID			1000	
	050	PID	Product/Item Description	O	1		
Not Used	060	MEA	Measurements	O	10		
	070	PWK	Paperwork	O	25		
	080	PKG	Marking, Packaging, Loading	O	25		
	090	PO4	Item Physical Details	O	>1		
	100	REF	Reference Numbers	O	>1		
Not Used	110	PER	Administrative Communications Contact	O	3		
	130	SAC	Service, Promotion, Allowance, or Charge Information	O	25		
Not Used	140	IT8	Conditions of Sale	O	25		
	150	ITD	Terms of Sale/Deferred Terms of Sale	O	2		
	160	DIS	Discount Detail	O	20		
Not Used	170	TAX	Tax Reference	O	3		
	180	FOB	F.O.B. Related Instructions	O	>1		
Not Used	190	SDQ	Destination Quantity	O	50		
	200	DTM	Date/Time Reference	O	10		
Not Used	230	FST	Forecast Schedule	O	5		
Not Used	240	TD1	Carrier Details (Quantity and Weight)	O	1		
	250	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
Not Used	260	TD3	Carrier Details (Equipment)	O	12		
	270	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5		
Not Used	280	MAN	Marks and Numbers	O	10		
	289	MSG	Message Text	O	>1		
Not Used	290	CTB	Restrictions/ Conditions	O	5		
	291	SPI	Specification Identifier	O	>1		

843 - Response to Request for Quotation

LOOP ID - SCH			104			
	292	SCH	Line Item Schedule	O	1	n2
Not Used	293	TD1	Carrier Details (Quantity and Weight)	O	1	
Not Used	294	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
Not Used	296	TD3	Carrier Details (Equipment)	O	12	
Not Used	298	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
LOOP ID - CST			100			
Not Used	300	CST	Cost Analysis	O	1	
Not Used	310	PID	Product/Item Description	O	1	
Not Used	320	CUR	Currency	O	1	
Not Used	330	DTM	Date/Time Reference	O	2	
LOOP ID - SLN			1000			
Not Used	340	SLN	Subline Item Detail	O	1	
Not Used	350	PID	Product/Item Description	O	1000	
LOOP ID - CST			100			
Not Used	360	CST	Cost Analysis	O	1	
Not Used	370	PID	Product/Item Description	O	1	
Not Used	380	CUR	Currency	O	1	
Not Used	390	DTM	Date/Time Reference	O	2	
LOOP ID - PD			>1			
	392	PD	Pricing Data	O	1	
	393	PDD	Pricing Data Detail	O	>1	
LOOP ID - LDT			>1			
	394	LDT	Lead Time	O	1	
	395	QTY	Quantity	O	>1	
	396	MSG	Message Text	O	1	
LOOP ID - LM			>1			
	397	LM	Code Source Information	O	1	
Must Use	398	LQ	Industry Code	M	>1	
LOOP ID - N9			1000			
	400	N9	Reference Number	O	1	
	410	MSG	Message Text	O	1000	
LOOP ID - N1			>1			
	420	N1	Name	O	1	
	430	N2	Additional Name Information	O	2	
	440	N3	Address Information	O	2	
	450	N4	Geographic Location	O	1	
Not Used	460	REF	Reference Numbers	O	12	
	470	PER	Administrative Communications Contact	O	3	
Not Used	480	FOB	F.O.B. Related Instructions	O	1	
	485	SCH	Line Item Schedule	O	200	
Not Used	490	TD1	Carrier Details (Quantity and Weight)	O	2	
	500	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12	
Not Used	510	TD3	Carrier Details (Equipment)	O	12	
	520	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	5	
	530	PKG	Marking, Packaging, Loading	O	25	

843 - Response to Request for Quotation

		LOOP ID - LDT	>1	
550	LDT	Lead Time	O	1
560	MAN	Marks and Numbers	O	10
570	QTY	Quantity	O	5
580	MSG	Message Text	O	1

Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	CTT	Transaction Totals	M	1		n3
	015	AMT	Monetary Amount	O	1		
Must Use	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. If segment LIN is used, do not use LIN01.
2. The SCH segment is used to specify various quantities of items ordered that are to be scheduled. When this segment is used the unit of measurement code (SCH02) should always be identical to the unit of measurement code in the associated PO1 segment (PO103) and the sum of values of quantity (SCH01) should always equal the quantity ordered (PO102) in the PO1 segment.
3. Number of line items (CTT01) is the accumulation of the number of PO1 segments. If used, hash total (CTT02) is the sum of the value of quantities ordered (PO102) for each PO1 segment.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	ST01	143 Transaction Set Identifier Code Code uniquely identifying a Transaction Set	M ID 3/3
		843 X12.8 Response to Request for Quotation	
Must Use	ST02	329 Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **BQR** Beginning Segment for Response to Request for Quotation
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a Response to Request for Quote Transaction Set and transmit identifying numbers and dates
Syntax Notes: 1 If either BQR04 or BQR05 is present, then the other is required.
Semantic Notes: 1 BQR03 is the date to be used for reference purposes in an RFQ and a response to RFQ.
Comments:

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use BQR01	353	Transaction Set Purpose Code Code identifying purpose of transaction set	M ID 2/2
		00 Original	
		01 Cancellation	
		02 Add	
		03 Delete	
		04 Change	
		07 Duplicate	
Must Use BQR02	586	Request for Quote Reference Number Number assigned by the purchaser to identify his request for quote	M AN 1/45
Must Use BQR03	373	Date Date (YYMMDD)	M DT 6/6
Must Use BQR04	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	X ID 3/3
		098 Bid (Effective)	
		171 Revision	
		177 Cancellation Date on which the coverage or service is no longer in force	
Must Use BQR05	373	Date Date (YYMMDD)	X DT 6/6
BQR06	379	Bid Type Response Code Code indicating the type of response to the request for bid or quote	O ID 2/2
		AB Alternate Bid	
		BF Best and Final	
		BI Bid Without Exception	
		BW Bid With Exception (Request for Information)	
		DQ Decline to Quote	
		RE Replacement	
		RT Request for Time Extension	
		UQ Unable to Quote	
BQR07	786	Security Level Code Code indicating the level of confidentiality assigned by the sender to the information following	O ID 2/2
		06 Supplier Proprietary	

843 - Response to Request for Quotation

11	Competition Sensitive
92	Government Confidential
93	Government Secret
94	Government Top Secret

Segment:	CUR Currency
Position:	040
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	1
Purpose:	To specify the currency (dollars, pounds, francs, etc.) used in a transaction
Syntax Notes:	<ol style="list-style-type: none"> 1 If CUR08 is present, then CUR07 is required. 2 If CUR09 is present, then CUR07 is required. 3 If CUR10 is present, then at least one of CUR11 or CUR12 is required. 4 If CUR11 is present, then CUR10 is required. 5 If CUR12 is present, then CUR10 is required. 6 If CUR13 is present, then at least one of CUR14 or CUR15 is required. 7 If CUR14 is present, then CUR13 is required. 8 If CUR15 is present, then CUR13 is required. 9 If CUR16 is present, then at least one of CUR17 or CUR18 is required. 10 If CUR17 is present, then CUR16 is required. 11 If CUR18 is present, then CUR16 is required. 12 If CUR19 is present, then at least one of CUR20 or CUR21 is required. 13 If CUR20 is present, then CUR19 is required. 14 If CUR21 is present, then CUR19 is required.
Semantic Notes:	
Comments:	1 See Figures Appendix for examples detailing the use of the CUR segment.

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use	CUR01	98 Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual C5 Party Submitting Quote A business entity submitting a quote; this entity may be the party who ultimately performs if an order is received, or the entity may be submitting the quote on behalf of another entity who will perform if an order is received PR Payer	M ID 2/2
Must Use	CUR02	100 Currency Code Code (Standard ISO) for country in whose currency the charges are specified	M ID 3/3
Not Used	CUR03	280 Exchange Rate Value to be used as a multiplier conversion factor to convert monetary value from one currency to another	O R 4/6
	CUR04	98 Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual PR Payer	O ID 2/2
	CUR05	100 Currency Code Code (Standard ISO) for country in whose currency the charges are specified	O ID 3/3
Not Used	CUR06	669 Currency Market/Exchange Code Code identifying the market upon which the currency exchange rate is based	O ID 3/3
Not Used	CUR07	374 Date/Time Qualifier Code specifying type of date or time, or both date and time	X ID 3/3
Not Used	CUR08	373 Date Date (YYMMDD)	O DT 6/6
Not Used	CUR09	337 Time	O TM 4/8

			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
Not Used	CUR10	374	Date/Time Qualifier X ID 3/3 Code specifying type of date or time, or both date and time
Not Used	CUR11	373	Date X DT 6/6 Date (YYMMDD)
Not Used	CUR12	337	Time X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
Not Used	CUR13	374	Date/Time Qualifier X ID 3/3 Code specifying type of date or time, or both date and time
Not Used	CUR14	373	Date X DT 6/6 Date (YYMMDD)
Not Used	CUR15	337	Time X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
Not Used	CUR16	374	Date/Time Qualifier X ID 3/3 Code specifying type of date or time, or both date and time
Not Used	CUR17	373	Date X DT 6/6 Date (YYMMDD)
Not Used	CUR18	337	Time X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)
Not Used	CUR19	374	Date/Time Qualifier X ID 3/3 Code specifying type of date or time, or both date and time
Not Used	CUR20	373	Date X DT 6/6 Date (YYMMDD)
Not Used	CUR21	337	Time X TM 4/8 Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

Segment: **REF** Reference Numbers
Position: 050
Loop:
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	REF01	128 Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
		2Y Wage Determination	
		73 Statement of Work (SOW)	
		Description of a product or service to be procured under a contract; statement of requirements	
		97 Package Number	
		A serial number indicating unit shipped	
		AH Agreement Number	
		C7 Contract Line Item Number	
		CH Customer catalog number	
		CR Customer Reference Number	
		CT Contract Number	
		DG Drawing Number	
		IJ Standard Industry Classification (SIC) Code	
		IX Item Number	
		LT Lot Number	
		LX Qualified Products List	
		NI Military Standard (MIL-STD) Number	
		P4 Project Code	
		PR Price Quote Number	
		QC Product Specification Document Number	
		Model designation of replacement component	
		S2 Military Specification Number (MILSPEC)	
		S3 Specification Number	
		TN Transaction Reference Number	
		TP Test Specification Number	
		VW Standard	
		W6 Federal Supply Schedule Number	
		Identifies an item with a two-digit group number, two-digit part number, and one-character section letter	
		ZZ Mutually Defined	
	REF02	127 Reference Number	X AN 1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
	REF03	352 Description	X AN 1/80

A free-form description to clarify the related data elements and their content

Segment: **FOB** F.O.B. Related Instructions
Position: 080
Loop:
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify transportation instructions relating to shipment
Syntax Notes:

- 1 If FOB03 is present, then FOB02 is required.
- 2 If FOB04 is present, then FOB05 is required.
- 3 If FOB07 is present, then FOB06 is required.
- 4 If FOB08 is present, then FOB09 is required.

Semantic Notes:

- 1 FOB01 indicates which party will pay the carrier.
- 2 FOB02 is the code specifying transportation responsibility location.
- 3 FOB06 is the code specifying the title passage location.
- 4 FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.

Comments:

Data Element Summary

Ref.	Data			Attributes
Des.	Element	Name		
Must Use	FOB01	146	Shipment Method of Payment Code identifying payment terms for transportation charges	M ID 2/2
		BP	Paid by Buyer The buyer agrees to the transportation payment term requiring the buyer to pay transportation charges to a specified location (origin or destination location)	
		PE	Prepaid and Summary Bill	
		PP	Prepaid (by Seller)	
		PS	Paid by Seller The seller agrees to the transportation payment term requiring the seller to pay transportation charges to a specified location (origin or destination location)	
	FOB02	309	Location Qualifier Code identifying type of location	X ID 1/2
		DE	Destination (Shipping)	
		FV	Free Alongside Vessel (Free On Board [F.O.B.] Point)	
		IT	Intermediate FOB Point A location indicating the point of destination is not the origin or final destination but rather at some other point	
		KE	Port of Embarkation	
		KL	Port of Loading	
		OR	Origin (Shipping Point)	
		W	Worldwide Geographic Location Code	
		ZZ	Mutually Defined	
Not Used	FOB03	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80
Not Used	FOB04	334	Transportation Terms Qualifier Code Code identifying the source of the transportation terms	O ID 2/2
Not Used	FOB05	335	Transportation Terms Code Code identifying the trade terms which apply to the shipment transportation	X ID 3/3

843 - Response to Request for Quotation

	FOB06	309	responsibility Location Qualifier	X	ID 1/2
			Code identifying type of location		
			DE Destination (Shipping)		
			OR Origin (Shipping Point)		
			ZZ Mutually Defined		
Not Used	FOB07	352	Description	O	AN 1/80
			A free-form description to clarify the related data elements and their content		
Not Used	FOB08	54	Risk of Loss Qualifier	O	ID 2/2
			Code specifying where responsibility for risk of loss passes		
Not Used	FOB09	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements and their content		

Segment: **PAM** Period Amount
Position: 095
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To indicate a quantity, and/or amount for an identified period
Syntax Notes:

- 1 If any of PAM01 PAM02 or PAM03 is present, then all are required.
- 2 At least one of PAM02 or PAM05 is required.
- 3 If either PAM04 or PAM05 is present, then the other is required.
- 4 If either PAM06 or PAM07 is present, then the other is required.
- 5 If PAM07 is present, then at least one of PAM08 or PAM09 is required.
- 6 If PAM08 is present, then PAM07 is required.
- 7 If PAM09 is present, then PAM07 is required.
- 8 If PAM10 is present, then at least one of PAM11 or PAM12 is required.
- 9 If PAM11 is present, then PAM10 is required.
- 10 If either PAM13 or PAM14 is present, then the other is required.

Semantic Notes:

- 1 PAM10, PAM11, or PAM12 are used when two dates are required.

Comments:

Data Element Summary

Ref.	Data Des.	Data Element	Name	Attributes
Not Used	PAM01	673	Quantity Qualifier Code specifying the type of quantity Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	PAM02	380	Quantity Numeric value of quantity	X R 1/15
Not Used	PAM03	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
	PAM04	522	Amount Qualifier Code Code to qualify amount B0 Bond	X ID 1/2
	PAM05	782	Monetary Amount Monetary amount	X R 1/15
Not Used	PAM06	344	Unit of Time Period or Interval Code indicating the time period or interval Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	PAM07	374	Date/Time Qualifier Code specifying type of date or time, or both date and time Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 3/3
Not Used	PAM08	373	Date Date (YYMMDD)	X DT 6/6
Not Used	PAM09	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X TM 4/8
Not Used	PAM10	374	Date/Time Qualifier Code specifying type of date or time, or both date and time Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 3/3

843 - Response to Request for Quotation

Not Used	PAM11	373	Date Date (YYMMDD)	X	DT 6/6
Not Used	PAM12	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X	TM 4/8
Not Used	PAM13	1004	Percent Qualifier Code to qualify percent Refer to 003050 Data Element Dictionary for acceptable code values.	X	ID 1/2
Not Used	PAM14	954	Percent Percentage expressed as a decimal	X	R 1/10

Segment: **SAC** Service, Promotion, Allowance, or Charge Information

Position: 120

Loop:

Level: Heading

Usage: Optional

Max Use: 25

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

- Syntax Notes:**
- 1 At least one of SAC02 or SAC03 is required.
 - 2 If either SAC03 or SAC04 is present, then the other is required.
 - 3 If either SAC06 or SAC07 is present, then the other is required.
 - 4 If either SAC09 or SAC10 is present, then the other is required.
 - 5 If SAC11 is present, then SAC10 is required.
 - 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required.
 - 7 If SAC14 is present, then SAC13 is required.

- Semantic Notes:**
- 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
 - 2 SAC05 is the total amount for the service, promotion, allowance, or charge. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
 - 3 SAC08 is the allowance or charge rate per unit.
 - 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
 - 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
 - 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.

- Comments:**
- 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
 - 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to a "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
Must Use	SAC01	248 Allowance or Charge Indicator Code which indicates an allowance or charge for the service specified A Allowance C Charge N No Allowance or Charge	M ID 1/1
	SAC02	1300 Service, Promotion, Allowance, or Charge Code Code identifying the service, promotion, allowance, or charge Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 4/4
Not Used	SAC03	559 Agency Qualifier Code Code identifying the agency assigning the code values	X ID 2/2
Not Used	SAC04	1301 Agency Service, Promotion, Allowance, or Charge Code Agency maintained code identifying the service, promotion, allowance, or charge	X AN 1/10
	SAC05	610 Amount Monetary amount	O N2 1/15

843 - Response to Request for Quotation

	SAC06	378	Allowance/ Charge Percent Qualifier	X	ID 1/1
			Code indicating on what basis allowance or charge percent is calculated Refer to 003050 Data Element Dictionary for acceptable code values.		
	SAC07	332	Percent	X	R 1/6
			Percent expressed as a percent		
	SAC08	118	Rate	O	R 1/9
			Rate expressed in the standard monetary denomination for the currency specified		
	SAC09	355	Unit or Basis for Measurement Code	X	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.		
	SAC10	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SAC11	380	Quantity	O	R 1/15
			Numeric value of quantity		
Not Used	SAC12	331	Allowance or Charge Method of Handling Code	O	ID 2/2
			Code indicating method of handling for an allowance or charge		
Not Used	SAC13	127	Reference Number	X	AN 1/30
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.		
Not Used	SAC14	770	Option Number	O	AN 1/20
			A unique number identifying available promotion or allowance options when more than one is offered		
Not Used	SAC15	352	Description	O	AN 1/80
			A free-form description to clarify the related data elements and their content		

Segment:	ITD Terms of Sale/Deferred Terms of Sale
Position:	130
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	5
Purpose:	To specify terms of sale
Syntax Notes:	<ol style="list-style-type: none"> 1 If ITD03 is present, then at least one of ITD04 ITD05 or ITD13 is required. 2 If ITD08 is present, then at least one of ITD04 ITD05 or ITD13 is required. 3 If ITD09 is present, then at least one of ITD10 or ITD11 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 ITD15 is the percentage applied to a base amount used to determine a late payment charge.
Comments:	<ol style="list-style-type: none"> 1 If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
Not Used	ITD01	336 Terms Type Code Code identifying type of payment terms	O ID 2/2
Not Used	ITD02	333 Terms Basis Date Code Code identifying the beginning of the terms period	O ID 1/2
	ITD03	338 Terms Discount Percent Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date	O R 1/6
Not Used	ITD04	370 Terms Discount Due Date Date payment is due if discount is to be earned	X DT 6/6
	ITD05	351 Terms Discount Days Due Number of days in the terms discount period by which payment is due if terms discount is earned	X N0 1/3
Not Used	ITD06	446 Terms Net Due Date Date when total invoice amount becomes due	O DT 6/6
	ITD07	386 Terms Net Days Number of days until total invoice amount is due (discount not applicable)	O N0 1/3
Not Used	ITD08	362 Terms Discount Amount Total amount of terms discount	O N2 1/10
Not Used	ITD09	388 Terms Deferred Due Date Date deferred payment or percent of invoice payable is due	O DT 6/6
Not Used	ITD10	389 Deferred Amount Due Deferred amount due for payment	X N2 1/10
Not Used	ITD11	342 Percent of Invoice Payable Amount of invoice payable expressed in percent	X R 1/5
Not Used	ITD12	352 Description A free-form description to clarify the related data elements and their content	O AN 1/80
Not Used	ITD13	765 Day of Month The numeric value of the day of the month between 1 and the maximum day of the month being referenced	X N0 1/2
Not Used	ITD14	107 Payment Method Code Code identifying type of payment procedures	O ID 1/1
Not Used	ITD15	954 Percent Percentage expressed as a decimal	O R 1/10

Segment: **DIS** Discount Detail
Position: 140
Loop:
Level: Heading
Usage: Optional
Max Use: 20
Purpose: To specify the exact type and terms of various discount information
Syntax Notes:
Semantic Notes: 1 DIS05 is the minimum for application of the discount.
 2 DIS06 is the maximum for application of the discount.
Comments:

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	DIS01	653 Discount Terms Type Code	M ID 3/3
		Code to define the units in which the discount will be determined, i.e., dollars, case, truckload, etc.	
		POR % Discount per Units Ordered	
		UNT Additional Units per Units Purchased	
Must Use	DIS02	654 Discount Base Qualifier	M ID 2/2
		Code to define unit of discount, i.e., dollars, cases, alternate products, etc.	
		PC Discount Determined as a Percentage of the Value of the Transaction	
		UN Discount Determined to be Additional Units that Are Defined by Discount Control Limit Qualifier	
Must Use	DIS03	655 Discount Base Value	M R 1/10
		A multiplier amount used in conjunction with discount base qualifier to determine the value of the discount	
Must Use	DIS04	656 Discount Control Limit Qualifier	M ID 2/3
		Code to define the units of the limits for determining discount	
		DAT Time Limits for Discount	
		DOF Dollars of Purchase	
Must Use	DIS05	657 Discount Control Limit	M N0 1/10
		Amount or time associated with application of the discount	
	DIS06	657 Discount Control Limit	O N0 1/10
		Amount or time associated with application of the discount	

Segment: **DTM** Date/Time Reference
Position: 150
Loop:
Level: Heading
Usage: Optional
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes: 1 At least one of DTM02 DTM03 or DTM06 is required.
 2 If either DTM06 or DTM07 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>	<u>Date/Time Qualifier</u>	<u>M ID 3/3</u>
Must Use	DTM01	374	
		Code specifying type of date or time, or both date and time	
		007 Effective	
		017 Estimated Delivery	
		036 Expiration	
		Date coverage expires	
		063 Do Not Deliver After	
		064 Do Not Deliver Before	
		069 Promised for Delivery	
		075 Promised for Delivery (Prior to and Including)	
		078 Promised for Delivery (Week of)	
		174 Month Ending	
		193 Period Start	
		194 Period End	
		368 Submittal	
		Date an item was submitted to a customer	
		375 Delivery Start	
		The date that deliveries will begin	
		376 Delivery End	
		The date that deliveries will end	
		800 Midpoint of Performance	
		937 Department of Labor Wage Determination Date	
		992 Date Requested	
DTM02	373	Date	X DT 6/6
		Date (YYMMDD)	
DTM03	337	Time	X TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
DTM04	623	Time Code	O ID 2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	

843 - Response to Request for Quotation

CT	Central Time
ET	Eastern Time
GM	Greenwich Mean Time
LT	Local Time
MT	Mountain Time
PT	Pacific Time

DTM05	624	Century	O	N0 2/2
		The first two characters in the designation of the year (CCYY)		
DTM06	1250	Date Time Period Format Qualifier	X	ID 2/3
		Code indicating the date format, time format, or date and time format Refer to 003050 Data Element Dictionary for acceptable code values.		
DTM07	1251	Date Time Period	X	AN 1/35
		Expression of a date, a time, or range of dates, times or dates and times		

Segment: **LDT** Lead Time
Position: 160
Loop:
Level: Heading
Usage: Optional
Max Use: 12
Purpose: To specify lead time for availability of products and services
Syntax Notes:
Semantic Notes: 1 LDT04 is the effective date of lead time information.
Comments: 1 LDT02 is the quantity of unit of time periods.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use	LDT01	345 Lead Time Code Code indicating the time range	M ID 2/2
		AD From date of sample approval to first product shipment	
		AP From Date of Award to Midpoint of Effort	
		AT From Bid Opening to Expiration of Bid	
		AU From Required-By Date to Expiration Date	
		AV From Date of Award to Date of Latest Delivery	
		AW From Date of Award to Date of Earliest Delivery	
		AX From Date of Award to Date of Completion	
		AY From Date of Award to Date of Delivery	
		AZ From Date of Receipt of Item to Date of Approval of Item	
Must Use	LDT02	380 Quantity Numeric value of quantity	M R 1/15
Must Use	LDT03	344 Unit of Time Period or Interval Code indicating the time period or interval	M ID 2/2
		CY Calendar Year	
		DA Calendar Days	
		KK Maximum Calendar Days	
		MO Month	
		QY Quarter of a Year	
		SA Semiannual	
		WK Weeks	
	LDT04	373 Date Date (YYMMDD)	O DT 6/6

Segment:	MEA Measurements
Position:	200
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	40
Purpose:	To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required. 2 If MEA05 is present, then MEA04 is required. 3 If MEA06 is present, then MEA04 is required. 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required. 5 Only one of MEA08 or MEA03 may be present.
Semantic Notes:	<ol style="list-style-type: none"> 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
Comments:	<ol style="list-style-type: none"> 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
MEA01	737	Measurement Reference ID Code	O ID 2/2
		Code identifying the broad category to which a measurement applies Refer to 003050 Data Element Dictionary for acceptable code values.	
MEA02	738	Measurement Qualifier	O ID 1/3
		Code identifying a specific product or process characteristic to which a measurement applies Refer to 003050 Data Element Dictionary for acceptable code values.	
MEA03	739	Measurement Value	X R 1/20
		The value of the measurement	
MEA04	C001	Composite Unit of Measure	X
		To identify a composite unit of measure (See Figures Appendix for examples of use)	
Must Use	C00101	355 Unit or Basis for Measurement Code	M ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	
Not Used	C00102	1018 Exponent	O R 1/15
		Power to which a unit is raised	
Not Used	C00103	649 Multiplier	O R 1/10
		Value to be used as a multiplier to obtain a new value	
	C00104	355 Unit or Basis for Measurement Code	O ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	
Not Used	C00105	1018 Exponent	O R 1/15
		Power to which a unit is raised	
Not Used	C00106	649 Multiplier	O R 1/10
		Value to be used as a multiplier to obtain a new value	
Not Used	C00107	355 Unit or Basis for Measurement Code	O ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
Not Used	C00108	1018 Exponent	O R 1/15

843 - Response to Request for Quotation

			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00110	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
Not Used	C00111	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
Not Used	C00114	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
	MEA05	740	Range Minimum	X	R 1/20
			The value specifying the minimum of the measurement range		
	MEA06	741	Range Maximum	X	R 1/20
			The value specifying the maximum of the measurement range		
Not Used	MEA07	935	Measurement Significance Code	O	ID 2/2
			Code used to benchmark, qualify or further define a measurement value		
Not Used	MEA08	936	Measurement Attribute Code	X	ID 2/2
			Code used to express an attribute response when a numeric measurement value cannot be determined		
Not Used	MEA09	752	Surface/Layer/Position Code	O	ID 2/2
			Code indicating the product surface, layer or position that is being described		
Not Used	MEA10	1373	Measurement Method or Device	O	ID 2/4
			The method or device used to record the measurement		

- Segment:** **PWK** Paperwork
Position: 210
Loop:
Level: Heading
Usage: Optional
Max Use: 25
Purpose: To identify the type and transmission of paperwork or supporting information
Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.
Semantic Notes:
Comments: 1 PWK05 and PWK06 may be used to identify the addressee by a code number.
 2 PWK07 may be used to indicate special information to be shown on the specified report.
 3 PWK08 may be used to indicate action pertaining to a report.

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use	PWK01	755 Report Type Code	M ID 2/2
		Code indicating the title or contents of a document, report or supporting item	
		25 Purchase Plan	
		35 Subcontractor Plan	
		AE Attachment	
		C1 Cost Data Summary	
		C5 Certified Cost and Price Data	
		C6 Wage Determination	
		DW Drawing(s)	
		IT Certified Inspection and Test Results	
		MS Material Safety Data Sheet	
		PJ Purchasing Specification	
		Specifications, generated by a customer, setting acceptance limits on the properties or performance of the product being purchased; purchasing specifications may additionally supply instructions for packaging, transportation, delivery, and payments	
		PM Proof of Insurance	
		SD Support Data for a Request for Quote	
		TJ Asset Status Advice	
		UA Union Agreement	
		US "BUY AMERICA" Certification of Compliance	
	PWK02	756 Report Transmission Code	O ID 1/2
		Code defining timing, transmission method or format by which reports are to be sent	
		BE By Mail and Electronically	
		BM By Mail	
		CF Courier	
		DA Data	
		EL Electronically Only	
		FX By Fax	
		IA Electronic Image	
Not Used	PWK03	757 Report Copies Needed	O N0 1/2
		The number of copies of a report that should be sent to the addressee	

	PWK04	98	Entity Identifier Code	O	ID 2/2
			Code identifying an organizational entity, a physical location, or an individual		
			BY Buying Party (Purchaser)		
			IS Party to Receive Certified Inspection Report		
			KF Audit Office		
			The office performing the audit		
			KG Project Manager		
			The address of the person responsible for the management of a designated project		
			KY Technical Office		
Not Used	PWK05	66	Identification Code Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)		
Not Used	PWK06	67	Identification Code	X	AN 2/20
			Code identifying a party or other code		
	PWK07	352	Description	O	AN 1/80
			A free-form description to clarify the related data elements and their content		
Not Used	PWK08	C002	Actions Indicated	O	
			Actions to be performed on the piece of paperwork identified		
Not Used	C00201	704	Paperwork/Report Action Code	M	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 003050 Data Element Dictionary for acceptable code values.		
Not Used	C00202	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00203	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00204	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00205	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		

- Segment:** **PKG** Marking, Packaging, Loading
Position: 220
Loop:
Level: Heading
Usage: Optional
Max Use: 25
Purpose: To describe marking, packaging, loading, and unloading requirements
Syntax Notes:
 - 1 At least one of PKG04 PKG05 or PKG06 is required.
 - 2 If PKG04 is present, then PKG03 is required.
 - 3 If PKG05 is present, then PKG01 is required.**Semantic Notes:**
 - 1 PKG04 should be used for industry-specific packaging description codes.**Comments:**
 - 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc.
 - 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used.
 - 3 Use PKG03 to indicate the organization that publishes the code list being referred to.
 - 4 Special marking or tagging data can be given in PKG05 (description).

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
PKG01	349	Item Description Type Code indicating the format of a description F Free-form S Structured (From Industry Code List) X Semi-structured (Code and Text)	X ID 1/1
PKG02	753	Packaging Characteristic Code Code specifying the marking, packaging, loading and related characteristics being described CD Cleaning or Drying Procedure CT Cushioning Thickness CUD Cushioning and Dunnage HM Hazardous Material IC Intermediate Container LP Level Of Preservation OPI Optional Procedure Indicator PK Packing PM Preservation Method PML Preservation Material SMK Special Marking UC Unit Container UCL Unit Container Level WM Wrapping Material	O ID 1/5
PKG03	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD) GS General Services Administration (GSA) Responsible for Federal Specification ZZ Mutually Defined	X ID 2/2
PKG04	754	Packaging Description Code	X AN 1/7

843 - Response to Request for Quotation

	PKG05	352	Description	X	AN 1/80
			A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product		
			A free-form description to clarify the related data elements and their content		
Not Used	PKG06	400	Unit Load Option Code	X	ID 2/2
			Code identifying loading or unloading a shipment		

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	240
Loop:	
Level:	Heading
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Data Element Summary

Ref.	Data			
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>	
Not Used	TD501	133	Routing Sequence Code	O ID 1/2
			Code describing the relationship of a carrier to a specific shipment movement	
Not Used	TD502	66	Identification Code Qualifier	X ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)	
Not Used	TD503	67	Identification Code	X AN 2/20
			Code identifying a party or other code	
	TD504	91	Transportation Method/Type Code	X ID 1/2
			Code specifying the method or type of transportation for the shipment Refer to 003050 Data Element Dictionary for acceptable code values.	
Not Used	TD505	387	Routing	X AN 1/35
			Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	
Not Used	TD506	368	Shipment/Order Status Code	X ID 2/2
			Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction	
Not Used	TD507	309	Location Qualifier	O ID 1/2
			Code identifying type of location	
Not Used	TD508	310	Location Identifier	X AN 1/30
			Code which identifies a specific location	
Not Used	TD509	731	Transit Direction Code	O ID 2/2
			The point of origin and point of direction	
Not Used	TD510	732	Transit Time Direction Qualifier	O ID 2/2
			Code specifying the value of time used to measure the transit time	
Not Used	TD511	733	Transit Time	X R 1/4
			The numeric amount of transit time	
	TD512	284	Service Level Code	X ID 2/2
			Code defining service Refer to 003050 Data Element Dictionary for acceptable code values.	

Segment: **TD4** Carrier Details (Special Handling, or Hazardous Materials, or Both)
Position: 260
Loop:
Level: Heading
Usage: Optional
Max Use: 5
Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes:
1 At least one of TD401 TD402 or TD404 is required.
2 If TD402 is present, then TD403 is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
TD401	152	Special Handling Code Code specifying special transportation handling instructions Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/3
TD402	208	Hazardous Material Code Qualifier Code which qualifies the Hazardous Material Class Code (209) Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/1
TD403	209	Hazardous Material Class Code Code specifying the kind of hazard for a material	X AN 2/4
TD404	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80

Segment: **N9** Reference Number
Position: 290
Loop: N9
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To transmit identifying numbers and descriptive information as specified by the reference number qualifier
Syntax Notes: 1 At least one of N902 or N903 is required.
 2 If N906 is present, then N905 is required.
Semantic Notes: 1 N906 reflects the time zone which the time reflects.
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use	N901	128 Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
		55 Sequence Number	
		BB Authorization Number	
		Proves that permission was obtained to provide a service	
		CJ Clause Number	
		DF Defense Federal Acquisition Regulations (DFAR)	
		DX Department/Agency Number	
		EC Circular	
		FA Federal Acquisition Regulations (FAR)	
		GS General Services Administration Regulations (GSAR)	
		KR Response to a Request for Quotation Reference	
		A discrete number assigned for identification purpose to a response to a request for quotation	
		KT Request for Quotation Reference	
		A discrete number assigned for identification purposes to a request for quotation	
		KY Site Specific Procedures, Terms, and Conditions	
		A set of procedures, terms, and conditions, applicable to a category of procurement emanating from a specific location, which will be incorporated into all procurement actions in that category by referencing its unique number rather than by incorporating the lengthy details it represents	
		KZ Master Solicitation Procedures, Terms, and Conditions	
		A set of standard procedures, terms, and conditions, applicable to a category of procurement, which will be incorporated into all procurement actions in that category by referencing its unique number rather than by incorporating the lengthy details it represents	
		L1 Letters or Notes	
		VB Department of Veterans Affairs Acquisition Regulations (VAAR)	
		ZZ Mutually Defined	
	N902	127 Reference Number	X AN 1/30
		Reference number or identification number as defined for a particular	

843 - Response to Request for Quotation

			Transaction Set, or as specified by the Reference Number Qualifier.	
	N903	369	Free-form Description	X AN 1/45
			Free-form descriptive text	
	N904	373	Date	O DT 6/6
			Date (YYMMDD)	
Not Used	N905	337	Time	X TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
Not Used	N906	623	Time Code	O ID 2/2
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	

Segment: **MSG** Message Text
Position: 300
Loop: N9
Level: Heading
Usage: Optional
Max Use: 1000
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	MSG01	933 Free-Form Message Text Free-form message text	M AN 1/264
Not Used	MSG02	934 Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer	O ID 2/2

- Segment:** **N1** Name
Position: 310
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>	<u>Entity Identifier Code</u>	<u>M ID 2/2</u>
Must Use	N101	98	
		Code identifying an organizational entity, a physical location, or an individual	
		28	Subcontractor
		31	Postal Mailing Address
		61	Performed At
			The facility where work was performed
		7M	Inspection and Acceptance Location
		AE	Additional Delivery Address
		AG	Agent/Agency
		BY	Buying Party (Purchaser)
		DL	Dealer
		DS	Distributor
		DZ	Delivery Zone
			Area where the product was delivered
		FA	Facility
		IC	Intermediate Consignee
		IS	Party to Receive Certified Inspection Report
		K1	Contractor Cognizant Security Office
		K2	Subcontractor Cognizant Security Office
		K3	Place of Performance Cognizant Security Office
		KF	Audit Office
			The office performing the audit
		KG	Project Manager
			The address of the person responsible for the management of a designated project
		KX	Free on Board Point
		KY	Technical Office
		KZ	Acceptance Location
		L1	Inspection Location
			Place where the item was viewed or inspected
		RI	Remit To
		SE	Selling Party

		ST	Ship To		
		SV	Service Performance Site		
			When services are contracted for, this describes the organization for whom or location address at which those services will be performed		
		X2	Party to Perform Packaging		
			A party responsible for packaging an item after it has been produced		
N102	93	Name		X	AN 1/35
		Free-form name			
N103	66	Identification Code Qualifier		X	ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)			
		1	D-U-N-S Number, Dun & Bradstreet		
		9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
		10	Department of Defense Activity Address Code (DODAAC)		
		33	Commercial and Government Entity (CAGE)		
		A2	Military Assistance Program Address Code (MAPAC)		
			Contained in the Military Assistance Program Address Directory (MAPAD); represents the location of an entity		
		ZN	Zone		
N104	67	Identification Code		X	AN 2/20
		Code identifying a party or other code			
Not Used	N105	706	Entity Relationship Code	O	ID 2/2
			Code describing entity relationship		
Not Used	N106	98	Entity Identifier Code	O	ID 2/2
			Code identifying an organizational entity, a physical location, or an individual		

Segment: **N2** Additional Name Information
Position: 320
Loop: N1
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element	Name	
Must Use	N201	93	Name Free-form name	M AN 1/35
	N202	93	Name Free-form name	O AN 1/35

Segment: **N3** Address Information
Position: 330
Loop: N1
Level: Heading
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data		Attributes
	Des.	Element	Name	
Must Use	N301	166	Address Information Address information	M AN 1/35
	N302	166	Address Information Address information	O AN 1/35

Segment: **N4 Geographic Location**
Position: 340
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
 2 N402 is required only if city name (N401) is in the USA or Canada.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
N401	19	City Name Free-form text for city name	O AN 2/30
N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/11
N404	26	Country Code Code identifying the country	O ID 2/3
N405	309	Location Qualifier Code identifying type of location AR Armed Services Location Designation DE Destination (Shipping) OR Origin (Shipping Point) ZN Zone Code ZZ Qualifies a code that identifies a geographic area where transportation rates apply Mutually Defined	X ID 1/2
N406	310	Location Identifier Code which identifies a specific location	O AN 1/30

Segment: **PER Administrative Communications Contact**
Position: 360
Loop: N1
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
 - 2 If either PER05 or PER06 is present, then the other is required.
 - 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named AA Authorized Representative AF Authorized Financial Contact BD Buyer Name or Department CE Certifier IC Information Contact KA Authorized Negotiator ME Manufacturing PP Program Manager SU Supplier Contact	M ID 2/2
Must Use PER02	93	Name Free-form name	O AN 1/35
Must Use PER03	365	Communication Number Qualifier Code identifying the type of communication number AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) EM Electronic Mail FX Facsimile IT International Telephone TE Telephone	X ID 2/2
Must Use PER04	364	Communication Number Complete communications number including country or area code when applicable	X AN 1/80
PER05	365	Communication Number Qualifier Code identifying the type of communication number AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) EM Electronic Mail EX Telephone Extension	X ID 2/2

		FX	Facsimile		
		IT	International Telephone		
		TE	Telephone		
PER06	364	Communication Number		X	AN 1/80
		Complete communications number including country or area code when applicable			
PER07	365	Communication Number Qualifier		X	ID 2/2
		Code identifying the type of communication number			
		AU	Defense Switched Network		
			Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)		
		EM	Electronic Mail		
		EX	Telephone Extension		
		FX	Facsimile		
		IT	International Telephone		
		TE	Telephone		
PER08	364	Communication Number		X	AN 1/80
		Complete communications number including country or area code when applicable			
PER09	443	Contact Inquiry Reference		O	AN 1/20
		Additional reference number or description to clarify a contact number			

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	390
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Not Used	TD501	133 Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement	O ID 1/2
Not Used	TD502	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67)	X ID 1/2
Not Used	TD503	67 Identification Code Code identifying a party or other code	X AN 2/20
	TD504	91 Transportation Method/Type Code Code specifying the method or type of transportation for the shipment Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/2
Not Used	TD505	387 Routing Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	X AN 1/35
Not Used	TD506	368 Shipment/Order Status Code Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction	X ID 2/2
Not Used	TD507	309 Location Qualifier Code identifying type of location	O ID 1/2
Not Used	TD508	310 Location Identifier Code which identifies a specific location	X AN 1/30
Not Used	TD509	731 Transit Direction Code The point of origin and point of direction	O ID 2/2
Not Used	TD510	732 Transit Time Direction Qualifier Code specifying the value of time used to measure the transit time	O ID 2/2
Not Used	TD511	733 Transit Time The numeric amount of transit time	X R 1/4
	TD512	284 Service Level Code Code defining service Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2

Segment: **TD4** Carrier Details (Special Handling, or Hazardous Materials, or Both)
Position: 410
Loop: N1
Level: Heading
Usage: Optional
Max Use: 5
Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes: 1 At least one of TD401 TD402 or TD404 is required.
 2 If TD402 is present, then TD403 is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD401	152	Special Handling Code Code specifying special transportation handling instructions Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/3
TD402	208	Hazardous Material Code Qualifier Code which qualifies the Hazardous Material Class Code (209) Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/1
TD403	209	Hazardous Material Class Code Code specifying the kind of hazard for a material	X AN 2/4
TD404	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80

- Segment:** **PKG** Marking, Packaging, Loading
- Position:** 420
- Loop:** N1
- Level:** Heading
- Usage:** Optional
- Max Use:** 25
- Purpose:** To describe marking, packaging, loading, and unloading requirements
- Syntax Notes:**
- 1 At least one of PKG04 PKG05 or PKG06 is required.
 - 2 If PKG04 is present, then PKG03 is required.
 - 3 If PKG05 is present, then PKG01 is required.
- Semantic Notes:**
- 1 PKG04 should be used for industry-specific packaging description codes.
- Comments:**
- 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc.
 - 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used.
 - 3 Use PKG03 to indicate the organization that publishes the code list being referred to.
 - 4 Special marking or tagging data can be given in PKG05 (description).

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
PKG01	349	Item Description Type	X ID 1/1
		Code indicating the format of a description	
		F Free-form	
		S Structured (From Industry Code List)	
		X Semi-structured (Code and Text)	
PKG02	753	Packaging Characteristic Code	O ID 1/5
		Code specifying the marking, packaging, loading and related characteristics being described	
		CD Cleaning or Drying Procedure	
		CT Cushioning Thickness	
		CUD Cushioning and Dunnage	
		HM Hazardous Material	
		IC Intermediate Container	
		LP Level Of Preservation	
		OPI Optional Procedure Indicator	
		PK Packing	
		PM Preservation Method	
		PML Preservation Material	
		SMK Special Marking	
		UC Unit Container	
		UCL Unit Container Level	
		WM Wrapping Material	
PKG03	559	Agency Qualifier Code	X ID 2/2
		Code identifying the agency assigning the code values	
		DF Department of Defense (DoD)	
		GS General Services Administration (GSA)	
		Responsible for Federal Specification	
		ZZ Mutually Defined	
PKG04	754	Packaging Description Code	X AN 1/7

843 - Response to Request for Quotation

	PKG05	352	Description	X	AN 1/80
			A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product		
			A free-form description to clarify the related data elements and their content		
Not Used	PKG06	400	Unit Load Option Code	X	ID 2/2
			Code identifying loading or unloading a shipment		

Segment: **PO1** **Baseline Item Data**
Position: 010
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify basic and most frequently used line item data
Syntax Notes:

- 1 If PO103 is present, then PO102 is required.
- 2 If PO105 is present, then PO104 is required.
- 3 If either PO106 or PO107 is present, then the other is required.
- 4 If either PO108 or PO109 is present, then the other is required.
- 5 If either PO110 or PO111 is present, then the other is required.
- 6 If either PO112 or PO113 is present, then the other is required.
- 7 If either PO114 or PO115 is present, then the other is required.
- 8 If either PO116 or PO117 is present, then the other is required.
- 9 If either PO118 or PO119 is present, then the other is required.
- 10 If either PO120 or PO121 is present, then the other is required.
- 11 If either PO122 or PO123 is present, then the other is required.
- 12 If either PO124 or PO125 is present, then the other is required.

Semantic Notes:

Comments:

- 1 See the Data Dictionary for a complete list of ID's.
- 2 PO101 is the line item identification.
- 3 PO106 through PO125 provide for ten (10) different product/service ID's per each item. For example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
PO101	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O AN 1/11
PO102	330	Quantity Ordered Quantity ordered	X R 1/9
PO103	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 2/2
PO104	212	Unit Price Price per unit of product, service, commodity, etc.	X R 1/17
PO105	639	Basis of Unit Price Code Code identifying the type of unit price for an item CA Catalog ES Estimated FB Fabrication Cost KA Price with Government Furnished Property NC No Charge NE Not to Exceed NS Not Separately Priced PQ Posted TB To be negotiated.	O ID 2/2
PO106	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in	X ID 2/2

		Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO107	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO108	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO109	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO110	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO111	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO112	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO113	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO114	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO115	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO116	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO117	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO118	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO119	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO120	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO121	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
PO122	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234) Refer to 003050 Data Element Dictionary for acceptable code values.		
PO123	234	Product/Service ID	X	AN 1/40

843 - Response to Request for Quotation

		Identifying number for a product or service		
PO124	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
PO125	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		

Segment: **PO3 Additional Item Detail**
Position: 030
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 25
Purpose: To specify additional item-related data involving variations in normal price/quantity structure

- Syntax Notes:** 1 If PO304 is present, then at least one of PO303 or PO305 is required.
Semantic Notes:
Comments: 1 Some examples of price/quantity variations are: price in different units from the PO1 segment, price changes by date, or price changes by quantity (break and level).
 2 PO307 defines the unit of measure for PO306.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PO301	371	Change Reason Code Code specifying the reason for price or quantity change AQ Alternate Quantity and Unit of Measure EV Estimated Quantity MC Pack/Size Measure Difference MP Minimum Order PC Pack Difference QH Quantity on Hand QT Quantity Price Break SC Size Difference UM Unit of Measure Difference	M ID 2/2
Not Used	PO302	373	Date Date (YYMMDD)	O DT 6/6
	PO303	236	Price Identifier Code Code identifying pricing specification Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 3/3
	PO304	212	Unit Price Price per unit of product, service, commodity, etc.	O R 1/17
	PO305	639	Basis of Unit Price Code Code identifying the type of unit price for an item Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
Must Use	PO306	380	Quantity Numeric value of quantity	M R 1/15
Must Use	PO307	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used	PO308	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80

Segment:	CTP Pricing Information
Position:	040
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To specify pricing information
Syntax Notes:	<ol style="list-style-type: none"> 1 If either CTP04 or CTP05 is present, then the other is required. 2 If CTP06 is present, then CTP07 is required. 3 If CTP09 is present, then CTP02 is required. 4 If CTP10 is present, then CTP02 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 CTP07 is a multiplier factor to arrive at a final discounted price. A multiplier of .90 would be the factor if a 10% discount is given. 2 CTP08 is the rebate amount.
Comments:	<ol style="list-style-type: none"> 1 See Figures Appendix for an example detailing the use of CTP03 and CTP04. See Figures Appendix for an example detailing the use of CTP03, CTP04 and CTP07.

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Not Used	CTP01	687	Class of Trade Code Code indicating class of trade	O ID 2/2
	CTP02	236	Price Identifier Code Code identifying pricing specification Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 3/3
	CTP03	212	Unit Price Price per unit of product, service, commodity, etc.	O R 1/17
	CTP04	380	Quantity Numeric value of quantity	X R 1/15
	CTP05	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
Not Used	CTP06	648	Price Multiplier Qualifier Code indicating the type of price multiplier	O ID 3/3
Not Used	CTP07	649	Multiplier Value to be used as a multiplier to obtain a new value	X R 1/10
Not Used	CTP08	782	Monetary Amount Monetary amount	O R 1/15
Not Used	CTP09	639	Basis of Unit Price Code Code identifying the type of unit price for an item	O ID 2/2
	CTP10	499	Condition Value Identifies rate restrictions or provisions	O AN 1/10

Segment: **MEA** Measurements
Position: 049
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 40
Purpose: To specify physical measurements or counts, including dimensions, tolerances, variances, and weights (See Figures Appendix for example of use of C001)

- Syntax Notes:**
- 1 At least one of MEA03 MEA05 MEA06 or MEA08 is required.
 - 2 If MEA05 is present, then MEA04 is required.
 - 3 If MEA06 is present, then MEA04 is required.
 - 4 If MEA07 is present, then at least one of MEA03 MEA05 or MEA06 is required.
 - 5 Only one of MEA08 or MEA03 may be present.

- Semantic Notes:**
- 1 MEA04 defines the unit of measure for MEA03, MEA05, and MEA06.
- Comments:**
- 1 When citing dimensional tolerances, any measurement requiring a sign (+ or -), or any measurement where a positive (+) value cannot be assumed, use MEA05 as the negative (-) value and MEA06 as the positive (+) value.

Data Element Summary

Ref.	Data Des.	Element	Name	Attributes
MEA01		737	Measurement Reference ID Code Code identifying the broad category to which a measurement applies Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 2/2
MEA02		738	Measurement Qualifier Code identifying a specific product or process characteristic to which a measurement applies Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 1/3
MEA03		739	Measurement Value The value of the measurement	X R 1/20
MEA04		C001	Composite Unit of Measure To identify a composite unit of measure (See Figures Appendix for examples of use)	X
Must Use	C00101	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used	C00102	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00103	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
	C00104	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 2/2
Not Used	C00105	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00108	1018	Exponent	O R 1/15

843 - Response to Request for Quotation

			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00110	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
Not Used	C00111	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
Not Used	C00114	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
	MEA05	740	Range Minimum	X	R 1/20
			The value specifying the minimum of the measurement range		
	MEA06	741	Range Maximum	X	R 1/20
			The value specifying the maximum of the measurement range		
Not Used	MEA07	935	Measurement Significance Code	O	ID 2/2
			Code used to benchmark, qualify or further define a measurement value		
Not Used	MEA08	936	Measurement Attribute Code	X	ID 2/2
			Code used to express an attribute response when a numeric measurement value cannot be determined		
Not Used	MEA09	752	Surface/Layer/Position Code	O	ID 2/2
			Code indicating the product surface, layer or position that is being described		
Not Used	MEA10	1373	Measurement Method or Device	O	ID 2/4
			The method or device used to record the measurement		

- Segment:** **PID** Product/Item Description
- Position:** 050
- Loop:** PID
- Level:** Detail
- Usage:** Optional
- Max Use:** 1
- Purpose:** To describe a product or process in coded or free-form format
- Syntax Notes:**
- 1 If PID04 is present, then PID03 is required.
 - 2 At least one of PID04 or PID05 is required.
 - 3 If PID07 is present, then PID03 is required.
 - 4 If PID08 is present, then PID03 is required.
- Semantic Notes:**
- 1 Use PID03 to indicate the organization that publishes the code list being referred to.
 - 2 PID04 should be used for industry-specific product description codes.
 - 3 PID08 describes the physical characteristics of the product identified in PID04. A ``Y" indicates that the specified attribute applies to this item. A ``N" indicates it does not apply. Any other value is indeterminate.
- Comments:**
- 1 If PID01 = ``F", then PID05 is used. If PID01 = ``S", then PID04 is used. If PID01 = ``X", then both PID04 and PID05 are used.
 - 2 Use PID06 when necessary to refer to the product surface or layer being described in the segment.
 - 3 PID07 specifies the individual code list of the agency specified in PID03.

Data Element Summary

Ref.	Data	Name		Attributes
Des.	Element			
Must Use	PID01	349	Item Description Type Code indicating the format of a description	M ID 1/1
			F Free-form	
			S Structured (From Industry Code List)	
			X Semi-structured (Code and Text)	
	PID02	750	Product/Process Characteristic Code Code identifying the general class of a product or process characteristic Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 2/3
	PID03	559	Agency Qualifier Code Code identifying the agency assigning the code values Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
	PID04	751	Product Description Code A code from an industry code list which provides specific data about a product characteristic	X AN 1/12
	PID05	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80
Not Used	PID06	752	Surface/Layer/Position Code Code indicating the product surface, layer or position that is being described	O ID 2/2
Not Used	PID07	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O AN 1/15
Not Used	PID08	1073	Yes/No Condition or Response Code Code indicating a Yes or No condition or response	O ID 1/1

Segment: **PWK** Paperwork
Position: 070
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 25
Purpose: To identify the type and transmission of paperwork or supporting information
Syntax Notes: 1 If either PWK05 or PWK06 is present, then the other is required.
Semantic Notes:
Comments: 1 PWK05 and PWK06 may be used to identify the addressee by a code number.
 2 PWK07 may be used to indicate special information to be shown on the specified report.
 3 PWK08 may be used to indicate action pertaining to a report.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>	<u>Report Type Code</u>	<u>M ID 2/2</u>
Must Use	PWK01	755	
		Report Type Code	
		Code indicating the title or contents of a document, report or supporting item	
		25 Purchase Plan	
		35 Subcontractor Plan	
		AE Attachment	
		C1 Cost Data Summary	
		C5 Certified Cost and Price Data	
		C6 Wage Determination	
		DW Drawing(s)	
		IT Certified Inspection and Test Results	
		MS Material Safety Data Sheet	
		PJ Purchasing Specification	
		Specifications, generated by a customer, setting acceptance limits on the properties or performance of the product being purchased; purchasing specifications may additionally supply instructions for packaging, transportation, delivery, and payments	
		SD Support Data for a Request for Quote	
		TO Demand Report	
		UA Union Agreement	
		US "BUY AMERICA" Certification of Compliance	
	PWK02	756	
		Report Transmission Code	O ID 1/2
		Code defining timing, transmission method or format by which reports are to be sent	
		BE By Mail and Electronically	
		BM By Mail	
		CF Courier	
		DA Data	
		EL Electronically Only	
		FX By Fax	
		IA Electronic Image	
Not Used	PWK03	757	
		Report Copies Needed	O N0 1/2
		The number of copies of a report that should be sent to the addressee	
	PWK04	98	
		Entity Identifier Code	O ID 2/2

Code identifying an organizational entity, a physical location, or an individual

- BY Buying Party (Purchaser)
- IS Party to Receive Certified Inspection Report
- KF Audit Office
The office performing the audit
- KG Project Manager
The address of the person responsible for the management of a designated project
- KY Technical Office

Not Used	PWK05	66	Identification Code Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)		
Not Used	PWK06	67	Identification Code	X	AN 2/20
			Code identifying a party or other code		
	PWK07	352	Description	O	AN 1/80
			A free-form description to clarify the related data elements and their content		
Not Used	PWK08	C002	Actions Indicated	O	
			Actions to be performed on the piece of paperwork identified		
Not Used	C00201	704	Paperwork/Report Action Code	M	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required Refer to 003050 Data Element Dictionary for acceptable code values.		
Not Used	C00202	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00203	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00204	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		
Not Used	C00205	704	Paperwork/Report Action Code	O	ID 1/2
			Code specifying how the paperwork or report that is identified in the PWK segment relates to the transaction set or to identify the action that is required		

- Segment:** **PKG** Marking, Packaging, Loading
- Position:** 080
- Loop:** PO1
- Level:** Detail
- Usage:** Optional
- Max Use:** 25
- Purpose:** To describe marking, packaging, loading, and unloading requirements
- Syntax Notes:**
- 1 At least one of PKG04 PKG05 or PKG06 is required.
 - 2 If PKG04 is present, then PKG03 is required.
 - 3 If PKG05 is present, then PKG01 is required.
- Semantic Notes:**
- 1 PKG04 should be used for industry-specific packaging description codes.
- Comments:**
- 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc.
 - 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", hen PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used.
 - 3 Use PKG03 to indicate the organization that publishes the code list being referred to.
 - 4 Special marking or tagging data can be given in PKG05 (description).

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
PKG01	349	Item Description Type	X ID 1/1
		Code indicating the format of a description	
		F Free-form	
		S Structured (From Industry Code List)	
		X Semi-structured (Code and Text)	
PKG02	753	Packaging Characteristic Code	O ID 1/5
		Code specifying the marking, packaging, loading and related characteristics being described	
		CD Cleaning or Drying Procedure	
		CT Cushioning Thickness	
		CUD Cushioning and Dunnage	
		HM Hazardous Material	
		IC Intermediate Container	
		LP Level Of Preservation	
		OPI Optional Procedure Indicator	
		PK Packing	
		PM Preservation Method	
		PML Preservation Material	
		SMK Special Marking	
		UC Unit Container	
		UCL Unit Container Level	
		WM Wrapping Material	
PKG03	559	Agency Qualifier Code	X ID 2/2
		Code identifying the agency assigning the code values	
		DF Department of Defense (DoD)	
		GS General Services Administration (GSA) Responsible for Federal Specification	
		ZZ Mutually Defined	
PKG04	754	Packaging Description Code	X AN 1/7

843 - Response to Request for Quotation

	PKG05	352	Description	X	AN 1/80
			A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product		
			A free-form description to clarify the related data elements and their content		
Not Used	PKG06	400	Unit Load Option Code	X	ID 2/2
			Code identifying loading or unloading a shipment		

Segment: **PO4** Item Physical Details
Position: 090
Loop: PO1
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify the physical qualities, packaging, weights, and dimensions relating to the item

- Syntax Notes:**
- 1 If either PO402 or PO403 is present, then the other is required.
 - 2 If PO405 is present, then PO406 is required.
 - 3 If either PO406 or PO407 is present, then the other is required.
 - 4 If either PO408 or PO409 is present, then the other is required.
 - 5 If PO410 is present, then PO413 is required.
 - 6 If PO411 is present, then PO413 is required.
 - 7 If PO412 is present, then PO413 is required.
 - 8 If PO413 is present, then at least one of PO410 PO411 or PO412 is required.

Semantic Notes:

- Comments:**
- 1 PO403 - The "Unit of Measure Code" (Element #355) in this segment position is for purposes of defining the pack (PO401) /size (PO402) measure which indicates the quantity in the inner pack unit. Example: If the carton contains 24 12-Ounce packages, it would be described as follows: Element 356 = 24; Element 357 = 12; Element 355 = OZ.
 - 2 PO413 defines the unit of measure for PO410, PO411, and PO412.

Data Element Summary

<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
PO401	356	Pack Number of inner pack units per outer pack unit	O N0 1/6
PO402	357	Size Size of supplier units in pack	X R 1/8
PO403	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
PO404	103	Packaging Code Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material INT Intermediate Container PAF Pallet - 4 Way A pallet that permits entry of handling equipment on each of its four sides PAT Pallet - 2 Way A pallet that permits entry of handling equipment on opposing two of its four sides SRW Shrink Wrap In packaging, a method of securing a unit load by placing a large "bag" of plastic film over the components and applying heat to induce shrinkage and cause the bag to tighten around the contents UNT Unit	O AN 3/5
PO405	187	Weight Qualifier Code defining the type of weight	O ID 1/2

843 - Response to Request for Quotation

		Refer to 003050 Data Element Dictionary for acceptable code values.		
PO406	384	Gross Weight per Pack	X	R 1/9
		Numeric value of gross weight per pack		
PO407	355	Unit or Basis for Measurement Code	X	ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
PO408	385	Gross Volume per Pack	X	R 1/9
		Numeric value of gross volume per pack		
PO409	355	Unit or Basis for Measurement Code	X	ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
PO410	82	Length	X	R 1/8
		Largest horizontal dimension of an object measured when the object is in the upright position		
PO411	189	Width	X	R 1/8
		Shorter measurement of the two horizontal dimensions measured with the object in the upright position		
PO412	65	Height	X	R 1/8
		Vertical dimension of an object measured when the object is in the upright position		
PO413	355	Unit or Basis for Measurement Code	X	ID 2/2
		Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
PO414	810	Inner Pack	O	N0 1/6
		Number of units in each selling pack		

Segment: **REF** Reference Numbers
Position: 100
Loop: PO1
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128 Reference Number Qualifier	M ID 2/2
		Code qualifying the Reference Number.	
		2Y Wage Determination	
		73 Statement of Work (SOW)	
		Description of a product or service to be procured under a contract; statement of requirements	
		97 Package Number	
		A serial number indicating unit shipped	
		AH Agreement Number	
		C7 Contract Line Item Number	
		CH Customer catalog number	
		CT Contract Number	
		DG Drawing Number	
		IJ Standard Industry Classification (SIC) Code	
		IX Item Number	
		LT Lot Number	
		LX Qualified Products List	
		NI Military Standard (MIL-STD) Number	
		P4 Project Code	
		QC Product Specification Document Number	
		Model designation of replacement component	
		S2 Military Specification Number (MILSPEC)	
		S3 Specification Number	
		TN Transaction Reference Number	
		TP Test Specification Number	
		VW Standard	
		W6 Federal Supply Schedule Number	
		Identifies an item with a two-digit group number, two-digit part number, and one-character section letter	
		ZZ Mutually Defined	
	REF02	127 Reference Number	X AN 1/30
		Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
	REF03	352 Description	X AN 1/80
		A free-form description to clarify the related data elements and their content	

Segment: **SAC** Service, Promotion, Allowance, or Charge Information

Position: 130

Loop: PO1

Level: Detail

Usage: Optional

Max Use: 25

Purpose: To request or identify a service, promotion, allowance, or charge; to specify the amount or percentage for the service, promotion, allowance, or charge

- Syntax Notes:**
- 1 At least one of SAC02 or SAC03 is required.
 - 2 If either SAC03 or SAC04 is present, then the other is required.
 - 3 If either SAC06 or SAC07 is present, then the other is required.
 - 4 If either SAC09 or SAC10 is present, then the other is required.
 - 5 If SAC11 is present, then SAC10 is required.
 - 6 If SAC13 is present, then at least one of SAC02 or SAC04 is required.
 - 7 If SAC14 is present, then SAC13 is required.

- Semantic Notes:**
- 1 If SAC01 is "A" or "C", then at least one of SAC05, SAC07, or SAC08 is required.
 - 2 SAC05 is the total amount for the service, promotion, allowance, or charge. If SAC05 is present with SAC07 or SAC08, then SAC05 takes precedence.
 - 3 SAC08 is the allowance or charge rate per unit.
 - 4 SAC10 and SAC11 is the quantity basis when the allowance or charge quantity is different from the purchase order or invoice quantity. SAC10 and SAC11 used together indicate a quantity range, which could be a dollar amount, that is applicable to service, promotion, allowance, or charge.
 - 5 SAC13 is used in conjunction with SAC02 or SAC04 to provide a specific reference number as identified by the code used.
 - 6 SAC14 is used in conjunction with SAC13 to identify an option when there is more than one option of the promotion.

- Comments:**
- 1 SAC04 may be used to uniquely identify the service, promotion, allowance, or charge. In addition, it may be used in conjunction to further the code in SAC02.
 - 2 In some business applications, it is necessary to advise the trading partner of the actual dollar amount that a particular allowance, charge, or promotion was based on to reduce ambiguity. This amount is commonly referred to a "Dollar Basis Amount". It is represented in the SAC segment in SAC10 using the qualifier "DO" - Dollars in SAC09.

Data Element Summary

Ref.	Data			Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>		
Must Use	SAC01	248	Allowance or Charge Indicator Code which indicates an allowance or charge for the service specified A Allowance C Charge N No Allowance or Charge	M ID 1/1
	SAC02	1300	Service, Promotion, Allowance, or Charge Code Code identifying the service, promotion, allowance, or charge Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 4/4
Not Used	SAC03	559	Agency Qualifier Code Code identifying the agency assigning the code values	X ID 2/2
Not Used	SAC04	1301	Agency Service, Promotion, Allowance, or Charge Code Agency maintained code identifying the service, promotion, allowance, or charge	X AN 1/10
	SAC05	610	Amount Monetary amount	O N2 1/15

843 - Response to Request for Quotation

	SAC06	378	Allowance/ Charge Percent Qualifier	X	ID 1/1
			Code indicating on what basis allowance or charge percent is calculated Refer to 003050 Data Element Dictionary for acceptable code values.		
	SAC07	332	Percent	X	R 1/6
			Percent expressed as a percent		
	SAC08	118	Rate	O	R 1/9
			Rate expressed in the standard monetary denomination for the currency specified		
	SAC09	355	Unit or Basis for Measurement Code	X	ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.		
	SAC10	380	Quantity	X	R 1/15
			Numeric value of quantity		
	SAC11	380	Quantity	O	R 1/15
			Numeric value of quantity		
Not Used	SAC12	331	Allowance or Charge Method of Handling Code	O	ID 2/2
			Code indicating method of handling for an allowance or charge		
Not Used	SAC13	127	Reference Number	X	AN 1/30
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.		
Not Used	SAC14	770	Option Number	O	AN 1/20
			A unique number identifying available promotion or allowance options when more than one is offered		
Not Used	SAC15	352	Description	O	AN 1/80
			A free-form description to clarify the related data elements and their content		

Segment:	ITD Terms of Sale/Deferred Terms of Sale
Position:	150
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	2
Purpose:	To specify terms of sale
Syntax Notes:	<ol style="list-style-type: none"> 1 If ITD03 is present, then at least one of ITD04 ITD05 or ITD13 is required. 2 If ITD08 is present, then at least one of ITD04 ITD05 or ITD13 is required. 3 If ITD09 is present, then at least one of ITD10 or ITD11 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 ITD15 is the percentage applied to a base amount used to determine a late payment charge.
Comments:	<ol style="list-style-type: none"> 1 If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
Not Used	ITD01	336 Terms Type Code Code identifying type of payment terms	O ID 2/2
Not Used	ITD02	333 Terms Basis Date Code Code identifying the beginning of the terms period	O ID 1/2
	ITD03	338 Terms Discount Percent Terms discount percentage, expressed as a percent, available to the purchaser if an invoice is paid on or before the Terms Discount Due Date	O R 1/6
Not Used	ITD04	370 Terms Discount Due Date Date payment is due if discount is to be earned	X DT 6/6
	ITD05	351 Terms Discount Days Due Number of days in the terms discount period by which payment is due if terms discount is earned	X N0 1/3
Not Used	ITD06	446 Terms Net Due Date Date when total invoice amount becomes due	O DT 6/6
	ITD07	386 Terms Net Days Number of days until total invoice amount is due (discount not applicable)	O N0 1/3
Not Used	ITD08	362 Terms Discount Amount Total amount of terms discount	O N2 1/10
Not Used	ITD09	388 Terms Deferred Due Date Date deferred payment or percent of invoice payable is due	O DT 6/6
Not Used	ITD10	389 Deferred Amount Due Deferred amount due for payment	X N2 1/10
Not Used	ITD11	342 Percent of Invoice Payable Amount of invoice payable expressed in percent	X R 1/5
Not Used	ITD12	352 Description A free-form description to clarify the related data elements and their content	O AN 1/80
Not Used	ITD13	765 Day of Month The numeric value of the day of the month between 1 and the maximum day of the month being referenced	X N0 1/2
Not Used	ITD14	107 Payment Method Code Code identifying type of payment procedures	O ID 1/1
Not Used	ITD15	954 Percent Percentage expressed as a decimal	O R 1/10

Segment: **DIS** Discount Detail
Position: 160
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 20
Purpose: To specify the exact type and terms of various discount information
Syntax Notes:
Semantic Notes: 1 DIS05 is the minimum for application of the discount.
 2 DIS06 is the maximum for application of the discount.
Comments:

Data Element Summary

Ref.	Data	Element	Name	Attributes
Must Use	DIS01	653	Discount Terms Type Code Code to define the units in which the discount will be determined, i.e., dollars, case, truckload, etc. POR % Discount per Units Ordered UNT Additional Units per Units Purchased	M ID 3/3
Must Use	DIS02	654	Discount Base Qualifier Code to define unit of discount, i.e., dollars, cases, alternate products, etc. PC Discount Determined as a Percentage of the Value of the Transaction UN Discount Determined to be Additional Units that Are Defined by Discount Control Limit Qualifier	M ID 2/2
Must Use	DIS03	655	Discount Base Value A multiplier amount used in conjunction with discount base qualifier to determine the value of the discount	M R 1/10
Must Use	DIS04	656	Discount Control Limit Qualifier Code to define the units of the limits for determining discount DAT Time Limits for Discount DOF Dollars of Purchase	M ID 2/3
Must Use	DIS05	657	Discount Control Limit Amount or time associated with application of the discount	M NO 1/10
	DIS06	657	Discount Control Limit Amount or time associated with application of the discount	O NO 1/10

Segment: **FOB** F.O.B. Related Instructions
Position: 180
Loop: PO1
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify transportation instructions relating to shipment
Syntax Notes: 1 If FOB03 is present, then FOB02 is required.
 2 If FOB04 is present, then FOB05 is required.
 3 If FOB07 is present, then FOB06 is required.
 4 If FOB08 is present, then FOB09 is required.
Semantic Notes: 1 FOB01 indicates which party will pay the carrier.
 2 FOB02 is the code specifying transportation responsibility location.
 3 FOB06 is the code specifying the title passage location.
 4 FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.
Comments:

Data Element Summary

Ref.	Data	Name	Attributes
Must Use	<u>Element</u>	<u>Name</u>	<u>M</u> <u>ID</u> <u>2/2</u>
FOB01	146	Shipment Method of Payment Code identifying payment terms for transportation charges	
		BP Paid by Buyer The buyer agrees to the transportation payment term requiring the buyer to pay transportation charges to a specified location (origin or destination location)	
		PE Prepaid and Summary Bill	
		PP Prepaid (by Seller)	
		PS Paid by Seller The seller agrees to the transportation payment term requiring the seller to pay transportation charges to a specified location (origin or destination location)	
FOB02	309	Location Qualifier Code identifying type of location	X ID 1/2
		DE Destination (Shipping)	
		FV Free Alongside Vessel (Free On Board [F.O.B.] Point)	
		IT Intermediate FOB Point A location indicating the point of destination is not the origin or final destination but rather at some other point	
		KE Port of Embarkation	
		KL Port of Loading	
		OR Origin (Shipping Point)	
		W Worldwide Geographic Location Code	
		ZZ Mutually Defined	
Not Used	FOB03	Description A free-form description to clarify the related data elements and their content	O AN 1/80
Not Used	FOB04	Transportation Terms Qualifier Code Code identifying the source of the transportation terms	O ID 2/2
Not Used	FOB05	Transportation Terms Code Code identifying the trade terms which apply to the shipment transportation	X ID 3/3

843 - Response to Request for Quotation

	FOB06	309	responsibility Location Qualifier	X	ID 1/2
			Code identifying type of location		
			DE Destination (Shipping)		
			OR Origin (Shipping Point)		
			ZZ Mutually Defined		
Not Used	FOB07	352	Description	O	AN 1/80
			A free-form description to clarify the related data elements and their content		
Not Used	FOB08	54	Risk of Loss Qualifier	O	ID 2/2
			Code specifying where responsibility for risk of loss passes		
Not Used	FOB09	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements and their content		

Segment: **DTM** Date/Time Reference
Position: 200
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes: 1 At least one of DTM02 DTM03 or DTM06 is required.
 2 If either DTM06 or DTM07 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>	<u>Date/Time Qualifier</u>	<u>M</u> <u>ID</u> <u>3/3</u>
Must Use	DTM01	374	
		Code specifying type of date or time, or both date and time	
		007 Effective	
		017 Estimated Delivery	
		036 Expiration	
		Date coverage expires	
		063 Do Not Deliver After	
		064 Do Not Deliver Before	
		069 Promised for Delivery	
		075 Promised for Delivery (Prior to and Including)	
		078 Promised for Delivery (Week of)	
		174 Month Ending	
		193 Period Start	
		194 Period End	
		368 Submittal	
		Date an item was submitted to a customer	
		375 Delivery Start	
		The date that deliveries will begin	
		376 Delivery End	
		The date that deliveries will end	
		641 Option	
		800 Midpoint of Performance	
		937 Department of Labor Wage Determination Date	
		992 Date Requested	
DTM02	373	Date	X DT 6/6
		Date (YYMMDD)	
DTM03	337	Time	X TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
DTM04	623	Time Code	O ID 2/2
		Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the	

843 - Response to Request for Quotation

codes that follow

CT	Central Time
ET	Eastern Time
GM	Greenwich Mean Time
LT	Local Time
MT	Mountain Time
PT	Pacific Time

DTM05	624	Century	O	N0 2/2
		The first two characters in the designation of the year (CCYY)		
DTM06	1250	Date Time Period Format Qualifier	X	ID 2/3
		Code indicating the date format, time format, or date and time format Refer to 003050 Data Element Dictionary for acceptable code values.		
DTM07	1251	Date Time Period	X	AN 1/35
		Expression of a date, a time, or range of dates, times or dates and times		

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	250
Loop:	PO1
Level:	Detail
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Not Used	TD501	133 Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement	O ID 1/2
Not Used	TD502	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67)	X ID 1/2
Not Used	TD503	67 Identification Code Code identifying a party or other code	X AN 2/20
	TD504	91 Transportation Method/Type Code Code specifying the method or type of transportation for the shipment Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/2
Not Used	TD505	387 Routing Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	X AN 1/35
Not Used	TD506	368 Shipment/Order Status Code Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction	X ID 2/2
Not Used	TD507	309 Location Qualifier Code identifying type of location	O ID 1/2
Not Used	TD508	310 Location Identifier Code which identifies a specific location	X AN 1/30
Not Used	TD509	731 Transit Direction Code The point of origin and point of direction	O ID 2/2
Not Used	TD510	732 Transit Time Direction Qualifier Code specifying the value of time used to measure the transit time	O ID 2/2
Not Used	TD511	733 Transit Time The numeric amount of transit time	X R 1/4
	TD512	284 Service Level Code Code defining service Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2

Segment: **TD4** Carrier Details (Special Handling, or Hazardous Materials, or Both)
Position: 270
Loop: PO1
Level: Detail
Usage: Optional
Max Use: 5
Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes:
1 At least one of TD401 TD402 or TD404 is required.
2 If TD402 is present, then TD403 is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
TD401	152	Special Handling Code Code specifying special transportation handling instructions Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/3
TD402	208	Hazardous Material Code Qualifier Code which qualifies the Hazardous Material Class Code (209) Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/1
TD403	209	Hazardous Material Class Code Code specifying the kind of hazard for a material	X AN 2/4
TD404	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80

Segment: **MSG** Message Text
Position: 289
Loop: PO1
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	MSG01	933	Free-Form Message Text Free-form message text	M AN 1/264
Not Used	MSG02	934	Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer	O ID 2/2

Segment: **SPI** Specification Identifier
Position: 291
Loop: PO1
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To provide a description of the included specification or technical data items
Syntax Notes: 1 If either SPI02 or SPI03 is present, then the other is required.
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SPI01	786	Security Level Code Code indicating the level of confidentiality assigned by the sender to the information following 06 Supplier Proprietary 11 Competition Sensitive 92 Government Confidential 93 Government Secret 94 Government Top Secret	M ID 2/2
	SPI02	128	Reference Number Qualifier Code qualifying the Reference Number. Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2
	SPI03	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	X AN 1/30
	SPI04	790	Entity Title Title of the data entity	O AN 1/132
Not Used	SPI05	791	Entity Purpose The reason for the existence of the data item specified by the electronic data item independent of its presence in an EDI transaction	O AN 1/80
Not Used	SPI06	792	Entity Status Code Code indicating the current status of the data item specified by the electronic data item	O ID 1/1
Not Used	SPI07	353	Transaction Set Purpose Code Code identifying purpose of transaction set	O ID 2/2
Not Used	SPI08	755	Report Type Code Code indicating the title or contents of a document, report or supporting item	O ID 2/2
	SPI09	786	Security Level Code Code indicating the level of confidentiality assigned by the sender to the information following 06 Supplier Proprietary 11 Competition Sensitive	O ID 2/2
Not Used	SPI10	559	Agency Qualifier Code Code identifying the agency assigning the code values	O ID 2/2
Not Used	SPI11	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O AN 1/15
Not Used	SPI12	554	Assigned Number Number assigned for differentiation within a transaction set	O N0 1/6
Not Used	SPI13	1322	Certification Type Code	O ID 1/1

843 - Response to Request for Quotation

Not Used SPI14

1401

Code indicating the type of certification

Proposal Data Detail Identifier Code

Code identifying the basis of a cited value in a proposal

O ID 1/3

Segment: **SCH** Line Item Schedule
Position: 292
Loop: SCH
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the data for scheduling a specific line-item
Syntax Notes: 1 If SCH03 is present, then SCH04 is required.
 2 If SCH08 is present, then at least one of SCH09 or SCH10 is required.
 3 If SCH09 is present, then SCH08 is required.
 4 If SCH10 is present, then SCH08 is required.
Semantic Notes: 1 SCH12 is the schedule identification.
Comments: 1 SCH05 specifies the interpretation to be used for SCH06 and SCH07.

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
Must Use SCH01	380	Quantity Numeric value of quantity	M R 1/15
Must Use SCH02	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used SCH03	98	Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual	O ID 2/2
Not Used SCH04	93	Name Free-form name	X AN 1/35
Must Use SCH05	374	Date/Time Qualifier Code specifying type of date or time, or both date and time 017 Estimated Delivery 063 Do Not Deliver After 064 Do Not Deliver Before 069 Promised for Delivery 075 Promised for Delivery (Prior to and Including) 078 Promised for Delivery (Week of) 174 Month Ending 358 Cycle Begin Date on which the cycle begins 375 Delivery Start The date that deliveries will begin	M ID 3/3
Must Use SCH06	373	Date Date (YYMMDD)	M DT 6/6
SCH07	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	O TM 4/8
SCH08	374	Date/Time Qualifier Code specifying type of date or time, or both date and time 017 Estimated Delivery 063 Do Not Deliver After	X ID 3/3

843 - Response to Request for Quotation

		064	Do Not Deliver Before		
		069	Promised for Delivery		
		075	Promised for Delivery (Prior to and Including)		
		078	Promised for Delivery (Week of)		
		174	Month Ending		
		359	Cycle End		
			Date on which the cycle ends		
		376	Delivery End		
			The date that deliveries will end		
	SCH09	373	Date	X	DT 6/6
			Date (YYMMDD)		
	SCH10	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		
Not Used	SCH11	326	Request Reference Number	O	AN 1/45
			Reference number or RFQ number to use to identify a particular transaction set and query (additional reference number or description which can be used with contract number)		
Not Used	SCH12	350	Assigned Identification	O	AN 1/11
			Alphanumeric characters assigned for differentiation within a transaction set		

Segment: **PD Pricing Data**
Position: 392
Loop: PD
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To describe the pricing basic input detail
Syntax Notes:
Semantic Notes:

- 1 PD01 is the unit of the time period contained in PD02.
- 2 PD02 is the date of the start of the time period in PD01.
- 3 PD04 is the quantity of the unit of measurement in PD03.
- 4 PD05 is the name of the cost element being proposed.
- 5 PD06 is the description of the name of the cost element being proposed.
- 6 PD08 is a reference to a specific paragraph number contained in an external document.
- 7 PD09 is the category of the data being proposed.

Comments:

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	PD01	344	Unit of Time Period or Interval Code indicating the time period or interval Refer to 003050 Data Element Dictionary for acceptable code values.	M ID 2/2
Must Use	PD02	373	Date Date (YYMMDD)	M DT 6/6
Must Use	PD03	C001	Composite Unit of Measure To identify a composite unit of measure (See Figures Appendix for examples of use)	M
Must Use	C00101	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used	C00102	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00103	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00104	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00105	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00106	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00107	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00108	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00109	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00110	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2

843 - Response to Request for Quotation

Not Used	C00111	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00112	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Not Used	C00113	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	O ID 2/2
Not Used	C00114	1018	Exponent Power to which a unit is raised	O R 1/15
Not Used	C00115	649	Multiplier Value to be used as a multiplier to obtain a new value	O R 1/10
Must Use	PD04	380	Quantity Numeric value of quantity	M R 1/15
Must Use	PD05	93	Name Free-form name	M AN 1/35
	PD06	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80
	PD07	1196	Breakdown Structure Detail Code Codes identifying details relating to a reporting breakdown structure tree	O ID 2/2
		26	Recurring Costs that will incur continually over the life of the contract	
		27	Nonrecurring Costs that will only be incurred once	
Not Used	PD08	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	O AN 1/30
Not Used	PD09	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80
	PD10	1401	Proposal Data Detail Identifier Code Code identifying the basis of a cited value in a proposal Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 1/3

Segment: **PDD Pricing Data Detail**
Position: 393
Loop: PD
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To provide the rates, direct input, and pricing factors for each element of work, cross-referenced to an applicable request or submission
Syntax Notes: 1 At least one of PDD02 PDD03 or PDD04 is required.
Semantic Notes: 1 PDD01 is a sequential number assigned by the initiator.
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PDD01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	M AN 1/11
	PDD02	380	Quantity Numeric value of quantity	X R 1/15
	PDD03	782	Monetary Amount Monetary amount	X R 1/15
	PDD04	954	Percent Percentage expressed as a decimal	X R 1/10
	PDD05	1401	Proposal Data Detail Identifier Code Code identifying the basis of a cited value in a proposal Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 1/3

Segment: **LDT** Lead Time
Position: 394
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify lead time for availability of products and services
Syntax Notes:
Semantic Notes: 1 LDT04 is the effective date of lead time information.
Comments: 1 LDT02 is the quantity of unit of time periods.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use	LDT01	345 Lead Time Code Code indicating the time range	M ID 2/2
		AD From date of sample approval to first product shipment	
		AH From Date of Receipt of First Article to First Article Approval	
		AI From Date of a Specified Event to Delivery	
		AJ From Date of First Delivery to Date of Subsequent Delivery(ies)	
		AK From Date Of Latest Delivery To Final Delivery	
		AM From Date Of Previous Delivery To Date Of SubsequentDelivery	
		AP From Date of Award to Midpoint of Effort	
		AV From Date of Award to Date of Latest Delivery	
		AW From Date of Award to Date of Earliest Delivery	
		AX From Date of Award to Date of Completion	
		AY From Date of Award to Date of Delivery	
		AZ From Date of Receipt of Item to Date of Approval of Item	
Must Use	LDT02	380 Quantity Numeric value of quantity	M R 1/15
Must Use	LDT03	344 Unit of Time Period or Interval Code indicating the time period or interval	M ID 2/2
		CY Calendar Year	
		DA Calendar Days	
		KK Maximum Calendar Days	
		MO Month	
		QY Quarter of a Year	
		SA Semiannual	
		WK Weeks	
	LDT04	373 Date Date (YYMMDD)	O DT 6/6

Segment: QTY Quantity
Position: 395
Loop: LDT
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify quantity information
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	QTY01	673	Quantity Qualifier Code specifying the type of quantity	M ID 2/2
			1J Due The amount due to the customer	
			1K Time Units The number of time units such as 8 (hours)	
			SA Shipments	
Must Use	QTY02	380	Quantity Numeric value of quantity	M R 1/15
	QTY03	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 2/2

Segment: **MSG** Message Text
Position: 396
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	MSG01	933 Free-Form Message Text Free-form message text	M AN 1/264
Not Used	MSG02	934 Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer	O ID 2/2

Segment: **LM** Code Source Information
Position: 397
Loop: LM
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To transmit standard code list identification information
Syntax Notes:
Semantic Notes:
Comments: 1 LM02 identifies the applicable industry code list source information.

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	LM01	559	Agency Qualifier Code Code identifying the agency assigning the code values DF Department of Defense (DoD)	M ID 2/2
Not Used	LM02	822	Source Subqualifier A reference that indicates the table or text maintained by the Source Qualifier	O AN 1/15

Segment: **LQ** Industry Code
Position: 398
Loop: LM
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: Code to transmit standard industry codes
Syntax Notes: 1 If LQ01 is present, then LQ02 is required.
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
LQ01	1270	Code List Qualifier Code Code identifying a specific industry code list FX Frequency	O ID 1/3
LQ02	1271	Industry Code Code indicating a code from a specific industry code list	X AN 1/20

Segment: **N9** Reference Number
Position: 400
Loop: N9
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To transmit identifying numbers and descriptive information as specified by the reference number qualifier
Syntax Notes: 1 At least one of N902 or N903 is required.
 2 If N906 is present, then N905 is required.
Semantic Notes: 1 N906 reflects the time zone which the time reflects.
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use N901	128	Reference Number Qualifier Code qualifying the Reference Number.	M ID 2/2
		BB Authorization Number Proves that permission was obtained to provide a service	
		CJ Clause Number	
		DF Defense Federal Acquisition Regulations (DFAR)	
		DX Department/Agency Number	
		EC Circular	
		FA Federal Acquisition Regulations (FAR)	
		GS General Services Administration Regulations (GSAR)	
		KR Response to a Request for Quotation Reference A discrete number assigned for identification purpose to a response to a request for quotation	
		KT Request for Quotation Reference A discrete number assigned for identification purposes to a request for quotation	
		KY Site Specific Procedures, Terms, and Conditions A set of procedures, terms, and conditions, applicable to a category of procurement emanating from a specific location, which will be incorporated into all procurement actions in that category by referencing its unique number rather than by incorporating the lengthy details it represents	
		KZ Master Solicitation Procedures, Terms, and Conditions A set of standard procedures, terms, and conditions, applicable to a category of procurement, which will be incorporated into all procurement actions in that category by referencing its unique number rather than by incorporating the lengthy details it represents	
		L1 Letters or Notes	
		VB Department of Veterans Affairs Acquisition Regulations (VAAR)	
		ZZ Mutually Defined	
N902	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	X AN 1/30

843 - Response to Request for Quotation

	N903	369	Free-form Description	X	AN 1/45
			Free-form descriptive text		
	N904	373	Date	O	DT 6/6
			Date (YYMMDD)		
Not Used	N905	337	Time	X	TM 4/8
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)		
Not Used	N906	623	Time Code	O	ID 2/2
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow		

Segment: **MSG** Message Text
Position: 410
Loop: N9
Level: Detail
Usage: Optional
Max Use: 1000
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	MSG01	933 Free-Form Message Text Free-form message text	M AN 1/264
Not Used	MSG02	934 Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer	O ID 2/2

- Segment:** **N1** Name
Position: 420
Loop: N1
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>	<u>Entity Identifier Code</u>	<u>M ID 2/2</u>
Must Use	N101	98	
		Code identifying an organizational entity, a physical location, or an individual	
		28	Subcontractor
		31	Postal Mailing Address
		61	Performed At
			The facility where work was performed
		7M	Inspection and Acceptance Location
		AE	Additional Delivery Address
		DL	Dealer
		DS	Distributor
		IC	Intermediate Consignee
		IS	Party to Receive Certified Inspection Report
		KF	Audit Office
			The office performing the audit
		KG	Project Manager
			The address of the person responsible for the management of a designated project
		KH	Organization Having Source Control
			Organization controlling the design and manufacturing process of a product
		KX	Free on Board Point
		KY	Technical Office
		KZ	Acceptance Location
		L1	Inspection Location
			Place where the item was viewed or inspected
		MF	Manufacturer of Goods
		ST	Ship To
		SV	Service Performance Site
			When services are contracted for, this describes the organization for whom or location address at which those services will be performed
		X2	Party to Perform Packaging
			A party responsible for packaging an item after it has

			been produced		
	N102	93	Name	X	AN 1/35
			Free-form name		
	N103	66	Identification Code Qualifier	X	ID 1/2
			Code designating the system/method of code structure used for Identification Code (67)		
			1 D-U-N-S Number, Dun & Bradstreet		
			9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
			10 Department of Defense Activity Address Code (DODAAC)		
			33 Commercial and Government Entity (CAGE)		
			A2 Military Assistance Program Address Code (MAPAC)		
			Contained in the Military Assistance Program Address Directory (MAPAD); represents the location of an entity		
	N104	67	Identification Code	X	AN 2/20
			Code identifying a party or other code		
Not Used	N105	706	Entity Relationship Code	O	ID 2/2
			Code describing entity relationship		
Not Used	N106	98	Entity Identifier Code	O	ID 2/2
			Code identifying an organizational entity, a physical location, or an individual		

Segment: **N2** Additional Name Information
Position: 430
Loop: N1
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data	Attributes
	<u>Des.</u>	<u>Element</u> <u>Name</u>	
Must Use	N201	93 Name Free-form name	M AN 1/35
	N202	93 Name Free-form name	O AN 1/35

Segment: **N3** Address Information
Position: 440
Loop: N1
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	N301	166	Address Information Address information	M AN 1/35
	N302	166	Address Information Address information	O AN 1/35

Segment: **N4 Geographic Location**
Position: 450
Loop: N1
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2 N402 is required only if city name (N401) is in the USA or Canada.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
N401	19	City Name Free-form text for city name	O AN 2/30
N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/11
N404	26	Country Code Code identifying the country	O ID 2/3
N405	309	Location Qualifier Code identifying type of location AR Armed Services Location Designation	X ID 1/2
N406	310	Location Identifier Code which identifies a specific location	O AN 1/30

Segment: **PER** Administrative Communications Contact
Position: 470
Loop: N1
Level: Detail
Usage: Optional
Max Use: 3
Purpose: To identify a person or office to whom administrative communications should be directed

- Syntax Notes:**
- 1 If either PER03 or PER04 is present, then the other is required.
 - 2 If either PER05 or PER06 is present, then the other is required.
 - 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
Must Use PER01	366	Contact Function Code Code identifying the major duty or responsibility of the person or group named IC Information Contact ME Manufacturing PP Program Manager SU Supplier Contact	M ID 2/2
PER02	93	Name Free-form name	O AN 1/35
PER03	365	Communication Number Qualifier Code identifying the type of communication number AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) EM Electronic Mail FX Facsimile IT International Telephone TE Telephone	X ID 2/2
PER04	364	Communication Number Complete communications number including country or area code when applicable	X AN 1/80
PER05	365	Communication Number Qualifier Code identifying the type of communication number AU Defense Switched Network Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON) EM Electronic Mail EX Telephone Extension FX Facsimile IT International Telephone TE Telephone	X ID 2/2
PER06	364	Communication Number	X AN 1/80

		Complete communications number including country or area code when applicable		
PER07	365	Communication Number Qualifier	X	ID 2/2
		Code identifying the type of communication number		
		AU Defense Switched Network		
		Department of Defense telecommunications system and successor of the Automatic Voice Network (AUTOVON)		
		EM Electronic Mail		
		EX Telephone Extension		
		FX Facsimile		
		IT International Telephone		
		TE Telephone		
PER08	364	Communication Number	X	AN 1/80
		Complete communications number including country or area code when applicable		
PER09	443	Contact Inquiry Reference	O	AN 1/20
		Additional reference number or description to clarify a contact number		

Segment:	SCH Line Item Schedule
Position:	485
Loop:	N1
Level:	Detail
Usage:	Optional
Max Use:	200
Purpose:	To specify the data for scheduling a specific line-item
Syntax Notes:	<ol style="list-style-type: none"> 1 If SCH03 is present, then SCH04 is required. 2 If SCH08 is present, then at least one of SCH09 or SCH10 is required. 3 If SCH09 is present, then SCH08 is required. 4 If SCH10 is present, then SCH08 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 SCH12 is the schedule identification.
Comments:	<ol style="list-style-type: none"> 1 SCH05 specifies the interpretation to be used for SCH06 and SCH07.

Data Element Summary

Ref.	Data	Attributes	
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SCH01	380 Quantity Numeric value of quantity	M R 1/15
Must Use	SCH02	355 Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	M ID 2/2
Not Used	SCH03	98 Entity Identifier Code Code identifying an organizational entity, a physical location, or an individual	O ID 2/2
Not Used	SCH04	93 Name Free-form name	X AN 1/35
Must Use	SCH05	374 Date/Time Qualifier Code specifying type of date or time, or both date and time	M ID 3/3
		017 Estimated Delivery	
		063 Do Not Deliver After	
		064 Do Not Deliver Before	
		069 Promised for Delivery	
		075 Promised for Delivery (Prior to and Including)	
		078 Promised for Delivery (Week of)	
		174 Month Ending	
		358 Cycle Begin Date on which the cycle begins	
		375 Delivery Start The date that deliveries will begin	
Must Use	SCH06	373 Date Date (YYMMDD)	M DT 6/6
	SCH07	337 Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	O TM 4/8
	SCH08	374 Date/Time Qualifier Code specifying type of date or time, or both date and time	X ID 3/3
		017 Estimated Delivery	
		063 Do Not Deliver After	

843 - Response to Request for Quotation

064 Do Not Deliver Before
 069 Promised for Delivery
 075 Promised for Delivery (Prior to and Including)
 078 Promised for Delivery (Week of)
 174 Month Ending
 359 Cycle End
 Date on which the cycle ends
 376 Delivery End
 The date that deliveries will end

	SCH09	373	Date Date (YYMMDD)	X	DT 6/6
	SCH10	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X	TM 4/8
Not Used	SCH11	326	Request Reference Number Reference number or RFQ number to use to identify a particular transaction set and query (additional reference number or description which can be used with contract number)	O	AN 1/45
Not Used	SCH12	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set	O	AN 1/11

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	500
Loop:	N1
Level:	Detail
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Not Used	TD501	133 Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement	O ID 1/2
Not Used	TD502	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67)	X ID 1/2
Not Used	TD503	67 Identification Code Code identifying a party or other code	X AN 2/20
	TD504	91 Transportation Method/Type Code Code specifying the method or type of transportation for the shipment Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/2
Not Used	TD505	387 Routing Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	X AN 1/35
Not Used	TD506	368 Shipment/Order Status Code Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction	X ID 2/2
Not Used	TD507	309 Location Qualifier Code identifying type of location	O ID 1/2
Not Used	TD508	310 Location Identifier Code which identifies a specific location	X AN 1/30
Not Used	TD509	731 Transit Direction Code The point of origin and point of direction	O ID 2/2
Not Used	TD510	732 Transit Time Direction Qualifier Code specifying the value of time used to measure the transit time	O ID 2/2
Not Used	TD511	733 Transit Time The numeric amount of transit time	X R 1/4
	TD512	284 Service Level Code Code defining service Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/2

Segment: **TD4** Carrier Details (Special Handling, or Hazardous Materials, or Both)
Position: 520
Loop: N1
Level: Detail
Usage: Optional
Max Use: 5
Purpose: To specify transportation special handling requirements, or hazardous materials information, or both

Syntax Notes: 1 At least one of TD401 TD402 or TD404 is required.
 2 If TD402 is present, then TD403 is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
TD401	152	Special Handling Code Code specifying special transportation handling instructions Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 2/3
TD402	208	Hazardous Material Code Qualifier Code which qualifies the Hazardous Material Class Code (209) Refer to 003050 Data Element Dictionary for acceptable code values.	X ID 1/1
TD403	209	Hazardous Material Class Code Code specifying the kind of hazard for a material	X AN 2/4
TD404	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80

- Segment:** **PKG** Marking, Packaging, Loading
- Position:** 530
- Loop:** N1
- Level:** Detail
- Usage:** Optional
- Max Use:** 25
- Purpose:** To describe marking, packaging, loading, and unloading requirements
- Syntax Notes:**
- 1 At least one of PKG04 PKG05 or PKG06 is required.
 - 2 If PKG04 is present, then PKG03 is required.
 - 3 If PKG05 is present, then PKG01 is required.
- Semantic Notes:**
- 1 PKG04 should be used for industry-specific packaging description codes.
- Comments:**
- 1 Use the MEA (Measurements) Segment to define dimensions, tolerances, weights, counts, physical restrictions, etc.
 - 2 If PKG01 = ``F", then PKG05 is used. If PKG01 = ``S", then PKG04 is used. If PKG01 = ``X", then both PKG04 and PKG05 are used.
 - 3 Use PKG03 to indicate the organization that publishes the code list being referred to.
 - 4 Special marking or tagging data can be given in PKG05 (description).

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
PKG01	349	Item Description Type	X ID 1/1
		Code indicating the format of a description	
		F Free-form	
		S Structured (From Industry Code List)	
		X Semi-structured (Code and Text)	
PKG02	753	Packaging Characteristic Code	O ID 1/5
		Code specifying the marking, packaging, loading and related characteristics being described	
		CD Cleaning or Drying Procedure	
		CT Cushioning Thickness	
		CUD Cushioning and Dunnage	
		HM Hazardous Material	
		IC Intermediate Container	
		LP Level Of Preservation	
		OPI Optional Procedure Indicator	
		PK Packing	
		PM Preservation Method	
		PML Preservation Material	
		SMK Special Marking	
		UC Unit Container	
		UCL Unit Container Level	
		WM Wrapping Material	
PKG03	559	Agency Qualifier Code	X ID 2/2
		Code identifying the agency assigning the code values	
		DF Department of Defense (DoD)	
		GS General Services Administration (GSA) Responsible for Federal Specification	
		ZZ Mutually Defined	
PKG04	754	Packaging Description Code	X AN 1/7

843 - Response to Request for Quotation

	PKG05	352	Description	X	AN 1/80
			A code from an industry code list which provides specific data about the marking, packaging or loading and unloading of a product		
			A free-form description to clarify the related data elements and their content		
Not Used	PKG06	400	Unit Load Option Code	X	ID 2/2
			Code identifying loading or unloading a shipment		

Segment: **LDT** Lead Time
Position: 550
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify lead time for availability of products and services
Syntax Notes:
Semantic Notes: 1 LDT04 is the effective date of lead time information.
Comments: 1 LDT02 is the quantity of unit of time periods.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	LDT01	345	Lead Time Code Code indicating the time range	M ID 2/2
			AD From date of sample approval to first product shipment	
			AH From Date of Receipt of First Article to First Article Approval	
			AI From Date of a Specified Event to Delivery	
			AJ From Date of First Delivery to Date of Subsequent Delivery(ies)	
			AK From Date Of Latest Delivery To Final Delivery	
			AM From Date Of Previous Delivery To Date Of SubsequentDelivery	
			AP From Date of Award to Midpoint of Effort	
			AV From Date of Award to Date of Latest Delivery	
			AW From Date of Award to Date of Earliest Delivery	
			AX From Date of Award to Date of Completion	
			AY From Date of Award to Date of Delivery	
			AZ From Date of Receipt of Item to Date of Approval of Item	
Must Use	LDT02	380	Quantity Numeric value of quantity	M R 1/15
Must Use	LDT03	344	Unit of Time Period or Interval Code indicating the time period or interval	M ID 2/2
			CY Calendar Year	
			DA Calendar Days	
			KK Maximum Calendar Days	
			MO Month	
			QY Quarter of a Year	
			SA Semiannual	
			WK Weeks	
	LDT04	373	Date Date (YYMMDD)	O DT 6/6

Segment:	MAN Marks and Numbers
Position:	560
Loop:	LDT
Level:	Detail
Usage:	Optional
Max Use:	10
Purpose:	To indicate identifying marks and numbers for shipping containers
Syntax Notes:	<ol style="list-style-type: none"> 1 If either MAN04 or MAN05 is present, then the other is required. 2 If MAN06 is present, then MAN05 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container. 2 When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range. 3 When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.
Comments:	<ol style="list-style-type: none"> 1 When MAN01 contains code UC (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06. 2 MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	MAN01	88	Marks and Numbers Qualifier Code specifying the application or source of Marks and Numbers (87) L Line Item Only	M ID 1/2
Must Use	MAN02	87	Marks and Numbers Marks and numbers used to identify a shipment or parts of a shipment	M AN 1/45
	MAN03	87	Marks and Numbers Marks and numbers used to identify a shipment or parts of a shipment	O AN 1/45
	MAN04	88	Marks and Numbers Qualifier Code specifying the application or source of Marks and Numbers (87) L Line Item Only	X ID 1/2
	MAN05	87	Marks and Numbers Marks and numbers used to identify a shipment or parts of a shipment	X AN 1/45
	MAN06	87	Marks and Numbers Marks and numbers used to identify a shipment or parts of a shipment	O AN 1/45

Segment: **QTY** Quantity
Position: 570
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 5
Purpose: To specify quantity information
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	QTY01	673	Quantity Qualifier Code specifying the type of quantity	M ID 2/2
			1J Due The amount due to the customer	
			1K Time Units The number of time units such as 8 (hours)	
			SA Shipments	
Must Use	QTY02	380	Quantity Numeric value of quantity	M R 1/15
	QTY03	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken Refer to 003050 Data Element Dictionary for acceptable code values.	O ID 2/2

Segment: **MSG** Message Text
Position: 580
Loop: LDT
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	MSG01	933	Free-Form Message Text Free-form message text	M AN 1/264
Not Used	MSG02	934	Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer	O ID 2/2

Segment: **CTT Transaction Totals**
Position: 010
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax Notes: 1 If either CTT03 or CTT04 is present, then the other is required.
 2 If either CTT05 or CTT06 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	CTT01	354	Number of Line Items Total number of line items in the transaction set	M N0 1/6
	CTT02	347	Hash Total Sum of values of the specified data element. All values in the data element will be summed without regard to decimal points (explicit or implicit) or signs. Truncation will occur on the left most digits if the sum is greater than the maximum size of the hash total of the data element.	O R 1/10
			Example: -.0018 First occurrence of value being hashed. .18 Second occurrence of value being hashed. 1.8 Third occurrence of value being hashed. 18.01 Fourth occurrence of value being hashed. ----- 1855 Hash total prior to truncation. 855 Hash total after truncation to three-digit field.	
Not Used	CTT03	81	Weight Numeric value of weight	X R 1/10
Not Used	CTT04	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	X ID 2/2
Not Used	CTT05	183	Volume Value of volumetric measure	X R 1/8
Not Used	CTT06	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	X ID 2/2
Not Used	CTT07	352	Description A free-form description to clarify the related data elements and their content	O AN 1/80

Segment: **AMT** Monetary Amount
Position: 015
Loop:
Level: Summary
Usage: Optional
Max Use: 1
Purpose: To indicate the total monetary amount
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	AMT01	522	Amount Qualifier Code Code to qualify amount TT Total Transaction Amount	M ID 1/2
Must Use	AMT02	782	Monetary Amount Monetary amount	M R 1/15
Not Used	AMT03	478	Credit/Debit Flag Code Code indicating whether amount is a credit or debit	O ID 1/1

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
Must Use	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
Must Use	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9